

ALUMA

Quality Trailers

FOR ANY APPLICATION

ALUMA ANYTIME!



LIGHTWEIGHT • MAINTENANCE FREE • DURABLE CONSTRUCTION



866-415-3285
ALUMAKLM.COM



TABLE OF CONTENTS

Utility Trailers - Single Axle	3-4
Utility Trailers - Single Axle Tilt.....	5
81 Series	6-8
Utility Trailers - Tandem Axles	9-12
Drive Over Fender Trailers.....	13
ES Series	14-15
Executive Series Single Axle.....	16-17
Executive Series Tandem Axle	18-20
14K Super Heavy Tandem	21
8200 14K Tilt Super Heavy	22
Flatbed Trailers - Tandem Axle	23
Motorcycle Trailers	24-25
Raft Trailers	25
UTV/ATV Trailers	26
Snowmobile Trailers	27-29
Truck Beds.....	30
Optional Accessories	31
Picnic Tables	32



BANCROFT, IA



EMMETSBURG, IA

ALUMA: THE PERFECT TRAILER FOR ANY NEED!

Durable trailers from Aluma are lightweight and maintenance free. Aluma's utility and recreational trailers are designed for both outdoor enthusiasts and demanding contractor professionals. The full product line includes utility trailers, ATV trailers, open snowmobile trailers, open motorcycle trailers, contractor trailers, raft trailers, car haulers, truck beds and more!

Special features and accessories such as side racks, stake pockets, tie-downs, stability jacks and various tailgate options add versatility and convenience. Aluma trailers also come with an industry leading 5-year all-inclusive warranty. Built in the USA, Aluma products are sold through a network of dealers in all 50 states and Canada.



Find the trailer that's right for you in the pages of this catalog. Then find your Aluma dealer using the Dealer Locator at alumaklm.com!

PARTNERS



**MODEL SPECS SUBJECT TO CHANGE.
PLEASE CHECK WITH DEALER FOR LATEST SPECS**

101 East Seneca • Bancroft, IA 50517
Hwy 4 S • Emmetsburg, IA 50536
866-415-3285 • Fax: 515-885-2592

UTILITY TRAILERS - SINGLE AXLE



548-BT shown w/ optional bi-fold tailgate



5410-BT shown w/ optional bi-fold tailgate



6812H-BT shown w/ optional bi-fold tailgate



6310H

MODELS 486 - 6814H

		486	548	5410	638	6310	6810	6310H	6314H	6810H	6812H	6814H
STANDARD FEATURES	Overall Width x Length	65.5" x 120"	75.5" x 145"	75.5" x 168"	84.5" x 145"	84.5" x 169"	92.5" x 175"	86.5" x 175"	86.5" x 222.5"	92.5" x 175"	92.5" x 199"	92.5" x 222.5"
	Bed Width x Length	48" x 72"	54" x 96"	54" x 120"	63" x 96"	63" x 120"	69" x 122.5"	63.5" x 122"	63.5" x 171"	69" x 122"	69" x 147"	69" x 169.5"
	Bed Height	14.5"	16.75"	16.75"	16.75"	16.75"	16.25"	18.5"	18.5"	18.5"	18.5"	18.5"
	Weight	280#	390#	425#	400#	440#	550#	560#	650#	580#	640#	675#
	GVWR	1200#	2000#	2000#	2000#	2000#	2200#	2990#	2990#	2990#	2990#	2990#
	Rubber Torsion Axle	1200#	2000#	2000#	2000#	2000#	2200#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
	Wheels	12" Steel	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
	Side Stake Pockets	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	N/A	N/A	N/A	N/A	N/A	N/A
	Tie Down Loops	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate Width x Length	44.625"W x 39"L	50.25"W x 39"L	50.25"W x 39"L	59.25"W x 39"L	59.25"W x 39"L	67.25"W x 44"L	60.5"W x 44"L	60.5"W x 44"L	67.25"W x 44"L	67.25"W x 44"L	67.25"W x 44"L

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

UTILITY TRAILERS - SINGLE AXLE



7814S-BT



7210-BT



7814S-BT



7712H-TG



Tie-Down Loop

MODELS 7210-8214HS

		7210	7210H	7212HSLR	7710H	7712H	7814ST	7815S	8214HS
STANDARD FEATURES	Overall Width x Length	93.5" x 169"	95.5" x 175"	96" x 205"	101.5" x 176"	101.5" x 194.5"	101.5" x 225"	101.5" x 227.5"	101.5" x 225"
	Bed Width x Length	72" x 120"	72" x 122"	72" x 150"	77" x 123"	77.5" x 142"	77.5" x 172.5"	77.5" x 182"	80" x 172.5"
	Bed Height	16.75"	18.5"	18.75"	18.5"	18.5"	18.5"	20.75"	19.5"
	Weight	450#	615#	710#	600#	650#	740#	820#	1150#
	GVWR	2200#	2990#	2990#	2990#	2990#	2990#	4250#	5200#
	Rubber Torsion Axle	2200#	1-3500#	3500#	1-3500#	1-3500#	1-3500#	1-4400#	1-5200#
	Wheels	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" Aluminum	15" 6 Bolt Aluminum
	Side Stake Pockets	4 Total 2 Per Side	N/A	N/A	4 Total 2 Per Side	4 Total 2 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
	Tie Down Loops	4 Total 2 Per Side	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	6 Total 3 Per Side	4 total recessed SS 5000#
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate	68.5"W x 44"L	69.5"W x 44"L	Slide Out Ramp 63" x 69.5"	77.5"W x 44"L	77.5"W x 44"L	75.5"W x 44"L	75.5"W x 44"L Bi-fold - 75.5"W x 60"L	2 Pull Out 6' Ramps

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

UTILITY TRAILERS - SINGLE AXLE TILT

7815S Tilt



7815S Tilt with Lock-out Valve



8214HS Tilt



One Piece Slotted Rail



Fender Steps



Tongue Handle & Receptacle Holder

MODELS 5410 Tilt - 8214HS Tilt

	5410 Tilt	6810 Tilt	6812H Tilt	7712H Tilt	7814S Tilt	7815S Tilt	8214HS Tilt
STANDARD FEATURES	Overall Width x Length	75.5" x 168"	92.5" x 175"	92.5" x 200"	101.5" x 194.5"	101.5" x 227"	101.5" x 234.5"
	Bed Width x Length	54" x 120"	69" x 125"	69" x 150"	77.5" x 145"	77.5" x 176"	77.5" x 185"
	Bed Height	16.75"	16.25"	18.5"	18.5"	18.5"	20.75"
	Weight	360#	600#	660#	680#	765#	860#
	GVWR	2000#	2200#	2990#	2990#	2990#	4250#
	Rubber Torsion Axle	2000#	2200#	1-3500#	1-3500#	1-3500#	1-4400#
	Wheels	13" Steel	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" 5 Bolt Aluminum
	Side Stake Pockets	4 Total 2 Per Side	N/A	N/A	6 Total 3 Per Side	6 Total 3 Per Side	N/A
	Tie Down Loops	4 Total 2 Per Side	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	4 Total 2 Per Side	4 Total 2 Per Side	9 Total 4 Per Side 1 Front Center
	Aluminum Tongue	Straight 2" Coupler	Straight 2" Coupler	A-Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler
	Tailgate Width x Length	N/A	N/A	N/A	N/A	N/A	N/A
	Tilted Angle	16 Degrees	15 Degrees	15 Degrees	15 Degrees	12.5 Degrees	13.1 Degrees

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

81 SERIES - SINGLE AXLE



8112H-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.



8114-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.



8115-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.

MODELS 8112-BT-8115-BT

	8112-BT	8114-BT	8115-BT
STANDARD FEATURES	Overall Width x Length	101.5" x 193"	101.5" x 230"
	Bed Width x Length	80.75" x 145"	80.75" x 180"
	Bed Height	20.5"	19.5"
	Weight	790#	911#
	GVWR	2990#	2990#
	Rubber Torsion Axle	3500#	3500#
	Wheels	14" Aluminum	14" Aluminum
	Tie Down Loops	6 Total 3 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate/Ramps	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L

MODELS 8112-BT-SR-8115-BT-SR

	8112-BT-SR	8114-BT-SR	8115-BT-SR
STANDARD FEATURES	Overall Width x Length	101.5" X 193"	101.5" X 230"
	Bed Width x Length	79.25" X 145"	79.25" X 180"
	Bed Height	20.5"	19.5"
	Weight	830#	970#
	GVWR	2990#	2990#
	Rubber Torsion Axle	3500#	3500#
	Wheels	14" Aluminum	14" Aluminum
	Tie Down Loops	6 Total 3 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate/Ramps	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L

MODELS 8112H-BT-SR-8115H-BT-SR

	8112H-BT-SR	8114H-BT-SR	8115H-BT-SR
STANDARD FEATURES	Overall Width x Length	101.5" X 195"	101.5" X 231"
	Bed Width x Length	79.25" X 145"	79.25" X 180"
	Bed Height	22.5"	21.5"
	Weight	1015#	1117#
	GVWR	4250#	4250#
	Rubber Torsion Axle	4400#	4400#
	Wheels	15" Aluminum	15" Aluminum
	Tie Down Loops	6 Total 3 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate/Ramps	2-69"x12" Ramps & Rear Bi-fold Ramp 75.5" W x 60" L	2-69"x12" Ramps & Rear Bi-fold Ramp 75.5" W x 60" L

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

81 SERIES - SINGLE AXLE



8114W-BT-SR

BT-SR models come standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.



8115WD-BT-SR



MODELS 8112W-BT - 8115W-BT				
		8112W-BT	8114W-BT	8115W-BT
STANDARD FEATURES	Overall Width x Length	101.5" x 193"	101.5" x 219"	101.5" x 230"
	Bed Width x Length	80.75" x 145"	80.75" x 172"	80.75" x 180"
	Bed Height	20.25"	20.25"	20.25"
	Weight	975#	1150#	1175#
	GVWR	2990#	2990#	2990#
	Rubber Torsion Axle	3500#	3500#	3500#
	Wheels	14" Steel	14" Steel	14" Steel
	Tie Down Loops	6 Total / 3 Per Side	8 Total / 4 Per Side	8 Total / 4 Per Side
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate/Ramps	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



8115WD-BT-SR

Combination front salt shield and drive-off ramp are standard.

MODELS 8112W-BT-SR - 8115WD-BT-SR							
		8112W-BT-SR	8114W-BT-SR	8115W-BT-SR	8112WD-BT-SR	8114WD-BT-SR	8115WD-BT-SR
STANDARD FEATURES	Overall Width x Length	101.5" x 193"	101.5" x 220"	101.5" x 230"	79.25" x 193"	79.25" x 220"	79.25" x 230"
	Bed Width x Length	79.25" x 145"	79.25" x 172"	79.25" x 180"	79" x 145"	79" x 172"	79" x 180"
	Bed Height	20.25"	20.25"	20.25"	20.25"	20.25"	20.25"
	Weight	930#	980#	1010#	1213#	1376#	1490#
	GVWR	2990#	2990#	2990#	2990#	2990#	2990#
	Rubber Torsion Axle	3500#	3500#	3500#	3500#	3500#	3500#
	Wheels	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel
	Tie Down Loops	6 Total / 3 Per Side	8 Total / 4 Per Side	8 Total / 4 Per Side	6 Total / 3 Per Side	8 Total / 4 Per Side	8 Total / 4 Per Side
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate/Ramps	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

81 SERIES - TANDEM AXLE



8122TA-BT-SR (pictured left) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.

MODELS 8115TA-BT-SR - 8122TA-BT-SR

	8115TA-BT-SR	8116TA-BT-SR	8118TA-BT-SR	8120TA-BT-SR	8122TA-BT-SR
Overall Width x Length	101.5" x 230"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"
Bed Width x Length	79" x 180"	79" x 193"	79" x 217"	79" x 241"	79" x 264"
Bed Height	20.25"	20.25"	20.25"	20.25"	20.25"
Weight	1375#	1525#	1600#	1675#	1750#
GVWR	2990#	7000#	7000#	7000#	7000#
Rubber Torsion Axle	2-2200#	2-3500# Electric Brakes	2-3500# Electric Brakes	2-3500# Electric Brakes	2-3500# Electric Brakes
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Aluminum Fenders	Removable	Removable	Removable	Removable	Removable
Tie Down Loops	8 Total 4 Per Side	10 Total 5 Per Side	10 Total 5 Per Side	10 Total 5 Per Side	12 Total 6 Per Side
Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard
Ramps / Tailgate	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x 60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x 60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x 60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x 60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x 60"L

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS



8115 TA-BT-SR

UTILITY TRAILERS - TANDEM AXLE



OPTIONAL FEATURES



Aluminum Rock Guard
All Models



Bi-fold Tailgate



MODELS 6316-7824


		6316	7812	7814	7816	7818	7820	7822	7824
STANDARD FEATURES	Overall Width x Length	87" x 244"	101.5" x 197"	101.5" x 226"	101.5" x 245"	101.5" x 272"	101.5" x 294"	101.5" x 322"	101.5" x 346"
	Bed Width x Length	63.25" x 193"	77.5" x 144"	77.5" x 173"	77.5" x 192"	77.5" x 221"	77.5" x 240"	77.5" x 268"	77.5" x 292"
	Bed Height	17.5"	18.5"	18.5"	18.5"	18.5"	18.5"	20"	20"
	Weight	825#	1050#	1125#	1175#	1225#	1275#	1520#	1570#
	GVWR	2990#	7000#	7000#	7000#	7000#	7000#	7000#	7000#
	Rubber Torsion Brakes Both Axles	2-2200#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
	Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
	Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable	Removable
	Side Stake Pockets	6 Total 3 Per Side	4 Total 2 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
	Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
	Aluminum Rear Stabilizer Jacks	2 - 1 Per Side	N/A	N/A	2 - 1 Per Side	2 - 1 Per Side	2 - 1 Per Side	2 - 1 Per Side	2 - 1 Per Side
	Breakaway Switch with Battery	Optional w/ Brakes	Standard	Standard	Standard	Standard	Standard	Standard	Standard
	Ramps / Tailgate	60"W x 44"L Tailgate	2-4' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

CAR HAULERS - TANDEM AXLE

OPTIONAL FEATURES



Tilt Winch Mount



Air Dam




**Recessed Swivel
Ring 5000#**



82 Tire Rack
Fits 82 Tandem and 82 Tilt



8222H
shown with optional air dam and storage box



Tool Box

All trailers on this page have Spread Axles as a standard feature.

The distance between fenders is 83.5" inches with 3500 lb axle, and 82.5" with 5200 lb axle. *Except on 8212 & 8214.

MODELS 8212-8224H

	8212	8214	8216	8218	8220	8222H	8224H
Overall Width x Length	101.5" x 196"	101.5" x 224"	101.5" x 243"	101.5" x 272"	101.5" x 290"	100.5" x 320"	100.5" x 346"
Bed Width x Length	81" x 144"	81" x 172"	81" x 192"	81" x 221"	81" x 240"	80" x 268"	80" x 295"
Bed Height	20"	20"	20"	20"	20"	21.5"	21.5"
Weight	1150#	1250#	1350#	1450#	1575#	2000#	2100#
GVWR	7000#	7000#	7000#	7000#	7000#	9990#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-5200#	2-5200#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" 6 Bolt Aluminum	15" 6 Bolt Aluminum
Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable
Side Stake Pockets	4 Total 2 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
Aluminum Rear Stabilizer Jacks	N/A	N/A	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Ramps	2-5' Pull Out Ramps	2-6' Pull Out Ramps	2-6' Pull Out Ramps	2-6' Pull Out Ramps	2-6' Pull Out Ramps	2-6' Pull Out Ramps	2-6' Pull Out Ramps

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS

CAR HAULERS - TANDEM AXLE



**Lock Down on
Tilt Trailer**



**Locking Valve on
Tilt Trailer**



8216 Tilt



8220 Tilt Removable Fenders

**Power Tilt - Factory installed -
Fits all 82 Tilts**



8218 JT Tilt



8218 Tilt

MODELS 8216-8220 Tilt				
	8216 Tilt	8218 Tilt	8220 Tilt	
STANDARD FEATURES	Overall Width x Length	101.5" x 270"	101.5" x 292"	101.5" x 317"
	Bed Width x Length	81" x 216" 196.5" Tilting	81" x 238" 219" Tilting	81" x 263" 244" Tilting
	Bed Height	21"	21"	21"
	Weight	1300#	1400#	1525#
	GVWR	7000#	7000#	7000#
	Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#
	Wheels	14" Aluminum	14" Aluminum	14" Aluminum
	Aluminum Fenders	Removable	Removable	Removable
	Side Stake Pockets	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 44.5" Long 2-5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler
	Padded Tongue Jack	2500# Capacity	2500# Capacity	2500# Capacity
	Breakaway Switch with Battery	Standard	Standard	Standard
	Tilted Angle (3500# axles)	11	8.5	7.5
	Tilted Angle (5200# axles)	12.5	10	9

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

WIDE BODY TRAILERS - TANDEM AXLE



8220HWP



Shown with optional air dam



WB18RF



All trailers on this page have removable fenders.

MODELS 8212WB-8222HWP

	8212WB	8214WB	WB16-TA-RF-EL-R-RTD	WB18-TA-RF-EL-R-RTD	WB20H-TA-RF-EL-R-RTD *	WB22H-TA-RF-EL-R-RTD *
Overall Width x Length	101.5" x 193"	101.5" x 219"	96.875" x 254.5"	96.875" x 278.5"	96.875" x 302"	96.875" x 330"
Bed Width	81.75" Between Fenders 96" Front & Back	81.75" Between Fenders 96" Front & Back	81.75" Between Fenders 96" Front & Back	81.75" Between Fenders 96" Front & Back	81.75" Between Fenders 96" Front & Back	81.75" Between Fenders 96" Front & Back
Bed Length	144"	168"	192"	216"	239"	266.5"
Bed Height	22.5"	22.5"	22.5"	22.5"	24"	24"
Weight	1375#	1450#	1350#	1450#	1900#	2000#
GVWR	7000#	7000#	7000#	7000#	9990#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-5200#	2-5200#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" Aluminum 6-Bolt	15" Aluminum 6-Bolt
Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable
Side Stake Pockets	10 Total 5 Per Side w/Rub Rail	10 Total 5 Per Side w/Rub Rail	14 Total 7 Per Side w/Rub Rail	14 Total 7 Per Side w/Rub Rail	16 Total 8 Per Side w/ Rub Rail	18 Total 9 Per Side w/ Rub Rail
Ramps	2-5' Pull out Ramps	2-6' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard

*Heavy axle standard on H models.

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

WIDE BODY TRAILERS - DRIVE OVER FENDERS



8215HSWBDOF



WB20HTADOF - shown with optional rock guard



Drive Over Fenders (DOF)

MODEL WB 15H-S-EL-DOF-R-RR-RTD	
	WB 15H-S-EL-DOF-R-RR-RTD *
Overall Width x Length	101.5" x 241"
Bed Size	96.875" x 179.5"
Distance Between Fenders	82.5"
Bed Height	26.24"
Weight	1110#
GVWR	5200#
Rubber Torsion Axle	1-5200#
Wheels	15" Aluminum
Aluminum Fenders	Drive-over
Side Stake Pockets	14 Total 7 Per Side w/Rub Rail
Ramps	2-7' Pull out Ramps
Aluminum Tongue	A-Frame 54" Long 2" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side
Breakaway Switch with Battery	Standard

*Heavy axle standard on H models.

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODELS WB 16-TA-EL-DOF-R-RR-RTD - WB 28H-TA-EL-DOF-R-RR-RTD

	WB 16-TA-EL-DOF-R-RR-RTD	WB 18-TA-EL-DOF-R-RR-RTD	WB 20H-TA-EL-DOF-R-RR-RTD *	WB 22H-TA-EL-DOF-R-RR-RTD *	WB 24H-TA-EL-DOF-R-RR-RTD *	WB 26H-TA-EL-DOF-R-RR-RTD *	WB 28H-TA-EL-DOF-R-RR-RTD *
Overall Width x Length	101.5" x 254.5"	101.5" x 278.5"	101.5" x 302"	101.5" x 330"	101.5" x 349.5"	101.5" x 379.5"	101.5" x 406"
Bed Size	96.75" x 191"	96.75" x 216"	96.75" x 239"	96.75" x 268"	96.75" x 287"	96.75" x 317"	96.75" x 345"
Distance Between Fenders	81.75"	81.75"	81.75"	81.75"	81.75"	81.75"	81.75"
Bed Height	22.73"	22.73"	26.24"	26.24"	26.24"	28.24"	28.24"
Weight	1450#	1550#	2000#	2100#	2200#	2325#	2450#
GVWR	7000#	7000#	9990#	9990#	9990#	9990#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-5200#	2-5200#	2-5200#	2-5200#	2-5200#
Wheels	14" Aluminum	14" Aluminum	15" Aluminum 6-Bolt	15" Aluminum 6-Bolt	15" Aluminum 6-Bolt	15" Aluminum 6-Bolt	15" Aluminum 6-Bolt
Aluminum Fenders	Drive-over	Drive-over	Drive-over	Drive-over	Drive-over	Drive-over	Drive-over
Side Stake Pockets	14 Total 7 Per Side w/Rub Rail	16 Total 8 Per Side w/Rub Rail	20 Total 10 Per Side w/Rub Rail	22 Total 11 Per Side w/Rub Rail	24 Total 12 Per Side w/Rub Rail	26 Total 13 Per Side w/Rub Rail	26 Total 13 Per Side w/Rub Rail
Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps
Aluminum Tongue	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard	Standard

*Heavy axle standard on H models.

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

ALUMA ES SERIES

**Affordability
Starts Here**

ALUMA ES



**548ESA, 6310ESA & 6812H-ESA
come standard with 12" Solid Sides.**

ALUMA ESA SERIES - ALUMINUM DECK

		548ESA	6310ESA	6812H-ESA	7810ESA	7812ESA	7814ESA
STANDARD FEATURES	Overall Width x Length	75.5" x 145"	84.5" x 168"	92.5" x 199"	101.5" x 175"	101.5" x 200"	101.5" x 225"
	Bed Width x Length	54" x 96"	63" x 120"	69" x 147"	78" x 122.5"	78" x 147"	78" x 172.5"
	Bed Height	16.75"	16.75"	19.5"	19"	19"	19"
	Weight	345#	475#	743#	625#	675#	725#
	GVWR	2000#	2000#	2990#	2990#	2990#	2990#
	Rubber Torsion Axles	2000#	2000#	3500#	3500#	3500#	3500#
	Wheels	13" Steel	13" Steel	14" Steel	14" Steel	14" Steel	14" Steel
	Tie Down Loops	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side
	Sides	12" Solid Side Kit	12" Solid Side Kit	12" Solid Side Kit	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail
	Tailgate	50.25" x 39" Long	50.25" x 39" Long	67.25" x 44" Long	75.5" x 44" Long	75.5" x 44" Long	75.5" x 44" Long

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS



8216TAESA



ALUMA TANDEM AXLE ESA SERIES - ALUMINUM DECK

		7814TAESA	7816TAESA	7818TAESA	7820TAESA	8216TAESA	8218TAESA	8220TAESA
STANDARD FEATURES	Overall Width x Length	101.5" x 220"	101.5" x 245"	101.5" x 269"	101.5" x 293"	101.5" x 245"	101.5" x 269"	101.5" x 293"
	Bed Width x Length	78" x 172.5"	78" x 192"	78" x 216"	78" x 240"	81" x 192"	81" x 220"	81" x 240"
	Bed Height	20"	20"	20"	20"	22"	22"	22"
	Weight	975#	1050#	1125#	1200#	1340#	1420#	1470#
	GVWR	7000#	7000#	7000#	7000#	7000#	7000#	7000#
	Rubber Torsion Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
	Wheels	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel
	Tie Down Loops	6 Total, 3 Per Side	6 Total, 3 Per Side	6 Total, 3 Per Side	6 Total, 3 Per Side	N/A	N/A	N/A
	Stake Pockets	N/A	N/A	N/A	N/A	6 Total, 3 Per Side	6 Total, 3 Per Side	6 Total, 3 Per Side
	Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable
	Sides	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	N/A	N/A	N/A
	Tailgate/Ramps	75.5" x 60" Long	75.5" x 60" Long	75.5" x 60" Long	75.5" x 60" Long	2 - 6' Ramps	2 - 6' Ramps	2 - 6' Ramps

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS



Optional Ladder Rail Upgrade for all ESA & ESW Series Trailers



ESW - Wood Deck
Single Axle (Left),
Tandem Axle (Below)



Wood Decks are 2x8 #1 pine kiln dried and treated

ALUMA ESW SERIES - WOOD DECK

		6810ESW	6812ESW	7810ESW	7812ESW	7814ESW	7814TAESW	7816TAESW	7818TAESW	7820TAESW
STANDARD FEATURES	Overall Width x Length	92.5" x 175"	92.5" x 199"	101.5" x 175"	101.5" x 200"	101.5" x 225"	101.5" x 221"	101.5" x 245"	101.5" x 269"	101.5" x 293"
	Bed Width x Length	69" x 122"	69" x 147"	78" x 122.5"	78" x 147"	78" x 172.5"	78" x 170"	78" x 192"	78" x 216"	78" x 240"
	Bed Height	21"	21"	21"	21"	21"	22.5"	22.5"	22.5"	22.5"
	Weight	765#	825#	825#	900#	1050#	1400#	1450#	1500#	1550#
	GVWR	2990#	2990#	2990#	2990#	2990#	7000#	7000#	7000#	7000#
	Rubber Torsion Axles	3500#	3500#	3500#	3500#	3500#	2-3500#	2-3500#	2-3500#	2-3500#
	Wheels	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel
	Tie Down Loops	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
	Sides	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail
	Tailgate	67.25" x 44" Long	67.25" x 44" Long	75.5" x 44" Long	75.5" x 44" Long	75.5" x 44" Long	75.5" x 59" Long	75.5" x 59" Long	75.5" x 59" Long	75.5" x 59" Long

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

EXECUTIVE UTILITY TRAILERS

**EXECUTIVE
SERIES**



EX-7712HBT



EX-7712HBT - Shown with optional 24" solid side rack set.



EXECUTIVE MODEL EX-7712H		
		EX-7712H
STANDARD FEATURES	Overall Width x Length	101.5" x 194.5"
	Bed Width x Length	77" x 142"
	Bed Height	18.5"
	Weight	715#
	GVWR	2900#
	Rubber Torsion Axles	3500#
	Wheels	14" Black Aluminum
	Side Stake Pockets	4 Total 2 Per Side
	Tie Down Loops	4 Total 2 Per Side
	Aluminum Tongue	A-Frame 2" Coupler
	Aluminum Tailgate	77.5"W x 44"L Bi-fold - 77.5"W x 60"L

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

EXECUTIVE MODEL EX-7712H	
EXECUTIVE SERIES	Fender Steps
	New Tailgate Approach
	6) Bed Lights
	Receptacle Holder
	Glow Lights
	Executive Decals
	Black Wheels
	Tongue Handle
	Safety Chain Holder

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

EXECUTIVE UTILITY TRAILERS

**EXECUTIVE
SERIES**




EX-7712HSLR Executive Series



MODEL EX-7712HSLR EXECUTIVE SERIES

STANDARD FEATURES	Overall Width x Length	101.5" x 200"
	Bed Width x Length	77.5" x 144.5"
	Weight	775#
	GVWR	2990#
	Rubber Torsion Axles	3500#
	Wheels	14" Black Aluminum
	Tailgate	Rear Pull Out 71.5" x 69.5"

MODEL SPECS SUBJECT TO CHANGE PLEASE
CHECK WITH DEALER FOR LATEST SPECS



HSLR Slide Out Ramp

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS

EXECUTIVE SERIES TRAILERS - CAR HAULERS



Bed Lights



8218H EX



Lit Tool Box, Tongue Handle, and Receptacle Holder



Bed Lights



Black Aluminum Wheels



**8212-8220, 8222H-8224H,
8216TILT-8220TILT**

EXECUTIVE SERIES*	Wheels	14" Black Aluminum, Heavy Axles 15" Black Aluminum
	Lights	8 Beds LEDs
	Storage Box	45 Degree, LED Lights
	Air Dam	Trailer Width x 44" Tall
	Ramps	Non-Tilt - 2) 7' Ramps
	Tongue Handle	Standard
	Receptacle Holder	Standard

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS

* REFERENCE PAGES 10 & 11 FOR SPECS.



Executive Series Car Haulers!

EXECUTIVE SERIES TRAILERS - CAR HAULERS - XL



8220 XL

Cargo Storage Box Standard



XL

EXECUTIVE SERIES 8216 XL - 8222 XL XL SERIES STANDARD FEATURES

EXECUTIVE SERIES	40" Spread Axle
	Side Steps
	Cargo Storage Box
	5) Marker Lights per Side
	8) Bed Lights



8220H XL Tilt

All trailers on this page have Spread Axles as a standard feature. The distance between fenders is 83.5" inches with 3500 lb axle, and 82.5" with 5200 lb axle.



8220 XL - shown with 8 ft pull out Ramps

MODELS 8216 XL - 8222 XL

	8216 XL	8218 XL	8220 XL	8222H XL
Overall Width x Length	101.5" x 256"	101.5" x 280"	101.5" x 304"	101.5" x 328"
Bed Width x Length	81" x 180"	81" x 204"	81" x 228"	81" x 252"
Bed Height	20"	20"	20"	23.5"
Weight	1725#	1825#	1925#	2350#
GVWR	7000#	7000#	7000#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-5200#
Wheels	14" Black Aluminum	14" Black Aluminum	14" Black Aluminum	15" Black Aluminum
Aluminum Fenders	Removable	Removable	Removable	Removable
Recessed Tie Rings	6 Total SS 5000#	6 Total SS 5000#	6 Total SS 5000#	6 Total SS 5000#
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Cargo Storage Box Dimensions	42" H x 81" W x 34" L	42" H x 81" W x 34" L	42" H x 81" W x 34" L	42" H x 81" W x 34" L
Breakaway Switch with Battery	Standard	Standard	Standard	Standard
Ramps	2 - 13" W x 8' L w/Ramp Storage	2 - 13" W x 8' L w/Ramp Storage	2 - 13" W x 8' L w/Ramp Storage	2 - 13" W x 8' L w/Ramp Storage

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODELS 8218 XL TILT - 8220H XL TILT

	8218 XL TILT	8220H XL TILT
Overall Width x Length	101.5" x 320"	101.5" x 344"
Bed Width x Length	81" x 221"	80" x 245"
Bed Height	21"	21"
Weight	2025#	2350#
GVWR	7000#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-5200#
Wheels	14" Black Aluminum	15" Black Aluminum
Aluminum Fenders	Removable	Removable
Recessed Tie Rings	4 Total SS 5000#	4 Total SS 5000#
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Cargo Storage Box Dimensions	42" H x 82" W x 34" L	42" H x 82" W x 34" L
Breakaway Switch with Battery	Standard	Standard
Tilt Degree	9 Degrees	8 Degrees

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS

EXECUTIVE SERIES TRAILERS - CAR HAULERS - LP



LP



8200LP-TILT



8200LP-TILT



8200LP-TILT

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODELS 8216LP-TILT - 8220LP-TILT

	8216LP-TILT	8218LP-TILT	8220LP-TILT
Overall Width x Length	101.5" x 271"	101.5" x 294"	101.5" x 319"
Bed Width x Length	81" x 217.5"	81" x 240"	81" x 265.5"
Tilting Bed	81" x 199.5" Tilting Bed	81" x 222" Tilting Bed	81" x 247" Tilting Bed
Bed Height	21"	21"	21"
Weight	1650#	1750#	1875#
GVWR	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#
Wheels	14" Black Aluminum	14" Black Aluminum	14" Black Aluminum
Aluminum Fenders	Removable	Removable	Removable
Recessed Tie Rings	4 Total SS 5000#	4 Total SS 5000#	4 Total SS 5000#
Side Stake Pockets	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Padded Tongue Jack	2500# Capacity	2500# Capacity	2500# Capacity
Tilt Degree	7.3 Degrees	7.3 Degrees	7.4 Degrees
Breakaway Switch with Battery	Standard	Standard	Standard
Ramps	2 - 12" W x 50" L Zero Approach w/Ramp Storage	2 - 12" W x 50" L Zero Approach w/Ramp Storage	2 - 12" W x 50" L Zero Approach w/Ramp Storage

STANDARD FEATURES

EXCLUSIVE to EXECUTIVE SERIES TRAILERS

EXECUTIVE SERIES	Black Aluminum Wheels
	8) Bed Lights
	Tongue Handle
	Storage Box with Light
	Receptacle Holder
	Air Dam

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS

14K SUPER HEAVY TANDEM



1020-14K series

MODELS 8216-14K - 8222-14K

	8216-14K	8218-14K	8220-14K	8222-14K
Overall Width x Length	101.5" x 262"	101.5" x 286"	101.5" x 310"	101.5" x 330"
Bed Width x Length	79" x 200"	79" x 224"	79" x 248"	79" x 267"
Bed Height	21.5"	21.5"	21.5"	21.5"
Weight	2,200#	2,350#	2,510#	2,675#
GVWR	14,000#	14,000#	14,000#	14,000#
Rubber Torsion Axle	2-7000#	2-7000#	2-7000#	2-7000#
Wheels	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum
Bolt-on Heavy Tie Downs	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
Aluminum Tongue	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler
Spring-Loaded Drop Leg Jack	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity
Hinged Aluminum Ramp	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODELS 1020-14K - 1026-14K

	1020-14K	1022-14K	1024-14K	1026-14K
Overall Width x Length	101.5" x 318"	101.5" x 328"	101.5" x 348"	101.5" x 376"
Bed Width x Length	96.5" x 20'	96.5" x 22'	96.5" x 24'	96.5" x 26'
Bed Height	36"	36"	36"	36"
Weight	2,775#	3,000#	3,225#	3,450#
GVWR	14,000#	14,000#	14,000#	14,000#
Rubber Torsion Axle	2-7000#	2-7000#	2-7000#	2-7000#
Wheels	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum
Galvanized Steel Tie-Rings	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
Aluminum Tongue	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler
Spring-Loaded Drop Leg Jack	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity
Hinged Aluminum Ramp	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS



TR-8218-14K



8200 SUPER HEAVY TILT TANDEM UTILITIES

MODELS 8200 -14K-TILT - 8222-14K-TILT			
	8220-14K-TILT	8222-14K-TILT	8222-14K-TILT
Overall Width x Length	101.5" x 288"	101.5" x 308"	101.5" x 308"
Bed Width x Length	82" x 190"	82" x 209"	82" x 186"
Weight	2050#	2200#	2200#
GVWR	14000#	14000#	14000#
Rubber Torsion Brakes Both Axles	2-7000#	2-7000#	2-7000#
Wheels	16" Aluminum	16" Aluminum	16" Aluminum
Aluminum Fenders	Removable	Removable	Removable
Bolt-on Heavy Tie Downs	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
Aluminum Tongue	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler
Swivel Tongue Jack	10K Spring-Loaded Drop Leg Jacks	10K Spring-Loaded Drop Leg Jacks	10K Spring-Loaded Drop Leg Jacks
Tilt Angle	11.5 Degrees	9.5 Degrees	10.5 Degrees
Breakaway Switch with Battery	Standard	Standard	Standard
Stationary Front	4'	4'	6'
Deck Height	21.5"	21.5"	21.5"

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



8222-14K-Tilt



8220-14K-Tilt



Bolt-on Heavy Tie Downs



42" Long A-Frame Aluminum Tongue w/ 2 5/16" Adjustable Coupler



ST235/80R16 LRE Radial Tires



Zinc Heavy Duty Bed Lock

LED LIGHTS & TONGUE MOUNTED JACK - STANDARD ON ALL TRAILERS



8220-14K-Tilt
shown with optional Tool Box



8222-14K-Tilt

FLATBED TRAILERS - TANDEM AXLE



Split Bi-fold Tailgate



1020 - shown with rub rail and Split Bi-fold Tailgate Pictured to the left



1020 - shown with rub rail and Split Bi-fold Tailgate Pictured above

MODELS 1020-1030

	1020	1022	1024	1026	1028 H	1030 H
Overall Width x Length	101.5" x 297"	101.5" x 322"	101.5" x 343"	101.5" x 370"	101.5" x 391"	101.5" x 420"
Bed Width x Length	100" x 20'	100" x 22'	100" x 24'	100" x 26'	100" x 28'	100" x 30'
Bed Height	31.5"	31.5"	31.5"	31.5"	34"	34"
Weight	1500#	1575#	1650#	1725#	2045#	2225#
GVWR	7000#	7000#	7000#	7000#	9990#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-5200#	2-5200#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" Aluminum	15" Aluminum
Dove Tail	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop
Deck Style	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail
Ramp / Tailgate	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



top rail



rub rail



LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS


MOTORCYCLE TRAILERS



MC10



MC2F Folding
(89.5" upright)



MC210



MC2F Folding



MC210
Pull-Out Ramp



TK1



8214HS Tilt



Slingshot Kit for the 8214HS Tilt Includes:

- 24 in. Rock Guard
- 1 - 60.75" Ramp stores behind the Rock Guard
- 2 - 65" Ramps mount in the stake pockets
- 2 - stabilizer legs



MOTORCYCLE TRAILERS

MOTORCYCLE MODELS							
	MC10	MC1F	MC210	MC2F	8214HS Tilt	TK1	
STANDARD FEATURES	Overall Width x Length	75.5" x 172"	75.5" x 125.5" Stands 95"	101.5" x 174"	94" x 143" Stands 89.5"	101.5" x 225"	86" x 185"
	Bed Width x Length	51" x 138"	51" x 106"	78" x 138"	69" x 114"	80" x 174"	63" x 137"
	Bed Height	18.5"	16.25"	18"	18.5"	19.5"	19"
	Weight	540#	450#	600#	625#	1064#	525#
	GVWR	2000#	2000#	2990#	2990#	5200#	2990#
	Rubber Torsion Axle	1-2000#	1-2000#	1-3500#	1-3500#	1-5200#	1-3500#
	Wheels	13" Aluminum	13" Aluminum	14" Aluminum	14" Aluminum	15" 6 Bolt Aluminum	14" Aluminum
	Tie Down Loops	4 Total 2 Per Side	4 Total 2 Per Side	8 Stainless Steel Recessed	4 w/1 Stainless Steel Recessed	4 total recessed 5000#	4 Stainless Steel Recessed
	Side Stake Pockets	N/A	N/A	N/A	N/A	6 Total 3 Per Side	N/A
	Ramps	45"W x 69.5"L	27"W x 48"L	71.875"W x 69.5"L	26"W x 64"L	N/A	57.125"W x 69.5"L
	Aluminum Tongue	Straight 2" Coupler	Straight 2" Coupler	Straight 2" Coupler	Straight Foldable 2" Coupler	Straight 2" Coupler	Straight 2" Coupler
	Motorcycle Bracket	2'	2'	2 - 2'	2 - 2'	N/A	2'
	Aluminum Shield	24" Tall	24" Tall	24" Tall	24" Tall	24" Tall	24" Tall with storage box
	Tilted Angle	N/A	N/A	N/A	N/A	12.5 Degrees 5 Degree with Slingshot Ramps	N/A

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

RAFT TRAILERS

RAFT TRAILERS		
	8412RT	8414RT
STANDARD FEATURES	Overall Width x Length	85" x 200"
	Bed Width	84"
	Bed Length	144"
	Bed Height	29.5"
	Weight	625#
	GVWR	2200#
	Axle	1-2200# Torsion
	Wheels	13" Steel
	Adjustable Winch	1
	Tie Down Loops	10
	Rear Roller	Full Width
	Aluminum Tongue	A-Frame 2" Coupler
	Floor	Nudo Flooring
		Nudo Flooring

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS



8414 RT
Raft Trailer



Kayak/Canoe Rack
Compatible w/ most flatbed models

UTV/ATV TRAILERS



A8812 shown with optional Front Rock Guard




A8816 ATV

		DECK OVER UTV/ATV MODELS				UTV/ATV UTILITY MODELS	
		A8810	A8812	A8816	A8818	UTR12	UTR14
STANDARD FEATURES	Overall Width x Length	90.5" x 179"	90.5" x 206"	90.5" x 251.5"	90.5" x 270"	101.5" x 208"	101.5" x 232"
	Bed Width x Length	88" x 126.75"	88" x 154"	88" x 198"	88" x 216"	78" x 151.25"	78" x 175.25"
	Bed Height	30"	31"	31"	31"	20.25"	20.25"
	Weight	575#	675#	960#	1025#	940#	1000#
	GVWR	2200#	2990#	4400#	7000#	2990#	2990#
	Brakes Both Axles	N/A	3500#	2 - 2200#	2 - 3500#	N/A	N/A
	Rubber Torsion Axle	2200#	3500#	2200#	3500#	3500#	3500#
	Wheels	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Black Aluminum	14" Black Aluminum
	Tie Down Loops	6 Total	8 Total	10 Total	10 Total	4 Tie Downs 1 Swivel	4 Tie Downs 1 Swivel
	Aluminum Tongue	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	Straight 2" Coupler	Straight 2" Coupler
	Ramps/Tailgate	2 - 69" Ramps	4 - 69" Ramps	4 - 69" Ramps	4 - 69" Ramps	Rear Pull Out Ramp 71 7/8"W x 69.5"L	Rear Pull Out Ramp 71 7/8"W x 69.5"L
	Aluminum Shield	Optional	Optional	Optional	Optional	24" Guard w/Storage Box	24" Guard w/Storage Box

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



Optional Twist and Lock Deck Hook for UTR



LED Bed Lights for UTR



UTR14 - UTR Series

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

SNOWMOBILE TRAILERS



8612Tilt

8610T & 8612T
shown w/ optional salt shield, and
Aluminum Wheel Upgrade



5012Tilt

TILT BED SNOWMOBILE TRAILERS

		5010TILT	5012TILT	8610TILT	8612TILT	8612D-TILT
STANDARD FEATURES	Overall Width x Length	71.5" x 172"	71.5" x 196"	102" x 172"	102" x 196"	102" x 216"
	Bed Width x Length	50" x 120"	50" x 144"	101.25" x 120"	101.25" x 144"	101.25" x 144"
	Weight	415#	450#	475#	525#	650#
	GVWR	2000#	2000#	2200#	2200#	2200#
	Rubber Torsion Axles	1 - 2000#	1 - 2000#	1 - 2200#	1 - 2200#	1 - 2200#
	Wheels	13" Steel	13" Steel	12" Steel	12" Steel	12" Steel
	Tongue	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler
	Floor	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH
DEALER FOR LATEST SPECS



LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

SNOWMOBILE TRAILERS

3 PLACE DRIVE ON/DRIVE OFF

	8614	8616
Overall Width x Length	102" X 240"	102" X 264"
Bed Width x Length	101.25" X 168"	101.25" X 192"
Bed Height	26"	26"
Weight	850#	975#
GVWR	2990#	4400#
Rubber Torsion Axle	2-2200#	2-2200#
Brakes Both Axles	Optional	Standard
Wheels	12" Steel	12" Steel
Swivel Tongue Jack	1500# Capacity	1500# Capacity
Tongue	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler
Floor	Nudo Flooring	Nudo Flooring
Ramp	54"W x 72"L	54"W X 72"L
Aluminum Salt Shield	Optional	Optional

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS



8614



8612D



Combination Salt Shield & Drive-off Ramp

2 PLACE DRIVE ON/DRIVE OFF

	8610D	8612D
Overall Width x Length	102" x 193"	102" x 216"
Bed Width x Length	101.25" x 120"	101.25" x 144"
Weight	550#	650#
GVWR	2200#	2200#
Rubber Torsion Brakes Axles	2200#	2200#
Wheels	12" Steel	12" Steel
Aluminum Tongue	A Frame 2" Coupler	A Frame 2" Coupler
Floor	Nudo Flooring	Nudo Flooring
Ramps	54" W x 72" L	54" W x 72" L

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

POPULAR OPTIONS

- Tilt bed salt shield
- Combo shield for drive-on/drive-off
- 13" or 15" wheel upgrades in either steel or aluminum wheels
- Recessed tie rings
- Spare tire
- Spare tire mounting bracket
- Tongue handle



SNOWMOBILE TRAILERS



8620

**shown with optional combination
salt shield & drive-off ramp**



8622



8624

**shown with optional 13" aluminum
wheels, combo shield and spare tire & mount**



Combo Shield Spare Tire & Mount

4 PLACE DRIVE ON/DRIVE OFF

		8618	8620	8622	8624
STANDARD FEATURES	Overall Width x Length	101.25" x 290"	101.25" x 314"	101.25" x 338"	101.25 " x 362"
	Bed Width x Length	101.25" x 216"	101.5" x 240"	101.5" x 264"	101.5" x 288"
	Weight	1025#	1100#	1175#	1275#
	GVWR	4400#	4400#	4400#	4400#
	Rubber Torsion Brakes Both Axles	2 - 2200#	2 - 2200#	2 - 2200#	2 - 2200#
	Wheels	12" Steel	12" Steel	12" Steel	12" Steel
	Tongue	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler
	Floor	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring
	Aluminum Salt Shield	Optional	Optional	Optional	Optional

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

STANDARD FEATURES

- Full-length slider channels
- Nudo Flooring
- Rubber mounted sealed lights
- Aluminum ski tie-down bars
- Swivel tongue jack 1500#

LED LIGHTS & SWIVEL JACKS - STANDARD ON ALL TRAILERS

TRUCK BEDS



66077



**All-Aluminum Build
With Side Rack and
Tailgate Upgrade**



68087




**96106
With Side Rack and
Tailgate Upgrade**



**90087
With Side Rack and
Tailgate Upgrade**



**81106 Shown with Optional
Sides and Rear Gate**



Gooseneck Kit



Back Up Lighting

SPECIFICATIONS

BED SIZE & WEIGHT	6600	6800	8100	9000	9600
	66" x 77" 200#				
	66" x 87" 215#	68" x 87" 225#	81" x 87" 275#	90" x 87" 305#	92" x 87" 300#
			81" x 96" 290#	90" x 96" 325#	96" x 96" 335#
			81" x 106" 310#	90" x 106" 345#	96" x 106" 350#
			81" x 115" 330#	90" x 115" 365#	96" x 115" 370#
			81" x 125" 350#	90" x 125" 385#	96" x 125" 390#
				90" x 144" 415#	96" x 144" 430#
					96" x 168" 480#
					96" x 192" 530#

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

STANDARD FEATURES

- Extruded aluminum floor with drop rear skirt
- 1/2" x 2" Rub rail with stake pockets
- Headache rack with sealed beam lights
- 3" channel main stringers adjustable to fit different models of trucks
- Recessed sealed beam lights 4 taillights; 11 clearance lights 2 backup lights
- License plate light
- Pre-wired and lights installed

OPTIONS

- Gooseneck Hitch opening with removeable door
- Sides and Tailgate
- Mud flap bracket set —



**20-0002004
Single**

**20-0002005
Dual**

LED LIGHTS - STANDARD

EXECUTIVE TRUCK BEDS SPECIFICATIONS

BED SIZE & WEIGHT	EX8100	EX9600
	81" x 84" 535#	96" x 84" 595#
	81" x 102" 595#	96" x 102" 680#
	81" x 112" 635#	96" x 112" 725#
	81" x 134" 730#	96" x 134" 830#

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



EX8100

**For more information, contact your local dealer.
Specifications subject to change without notice.**

LED LIGHTS - STANDARD

OPTIONAL ACCESSORIES

SIDE RACK SETS



12" Solid



24" Solid



24" Open

SPARE TIRE CARRIERS

Model Specific



U-Bolt



Flat Mount



Vertical Mount



Side Rail

TIE DOWNS



Loop



Recessed D-Ring
2000#



Recessed Swivel
Ring 5000#



Surface Mount
8000#

ROCK GUARDS

MISCELLANEOUS



24" Solid Rock Guard



44" Air Dam (78s+82s)



Black Aluminum Wheels

MISCELLANEOUS



Toolbox



Black Steel Wheels



Silver Steel Wheel 12"-15"



Aluminum Spare Tire 12"-16"

**AVAILABLE IN
TAN, FOREST GREEN AND PEWTER**

Picnic Tables: 6', 8' & 4-Sided



2 sided 6' picnic table:

OVERALL DIMENSIONS - 62 1/2"W X 72"L X 32"T
TABLE TOP DIMENSIONS - 29"W X 72"L

2 sided 8' picnic table:

OVERALL DIMENSIONS - 62 1/2"W X 96"L X 32"T
TABLE TOP DIMENSIONS - 29"W X 96"L

4-sided picnic table:

OVERALL DIMENSIONS - 82"W X 89"L X 32"T
TABLE TOP DIMENSIONS - 39"W X 48"L

Park Benches



Park Bench:

OVERALL LENGTH - 77"



ALUMAKLM.COM

ALUMA

101 EAST SENECA • BANCROFT, IA 50517

HWY 4 S • EMMETSBURG, IA 50536

866-415-3285 • FAX: 515-885-2592

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS - JULY 2025

