



Aluminum Trailers



P R O D U C T C A T A L O G

CHOOSE YOUR STANDARD.

There's nothing better than the feeling of finishing something done right. Polishing that last bit of chrome on your project car. Catching the final stretch of trail as the sun drops behind the horizon. Loading up your equipment after a job is finished to your highest standard.

Our people are cut from the same cloth. From the first weld to the last decal, they don't consider the job done until it's done well. At Aluma, we believe quality should feel obvious the instant you use it. In the way it looks, the way it pulls, and the confidence that comes from knowing your equipment is built the right way.

Aluma trailers are made to get you there. Whether you are hauling to the job site or heading out on your next great **Aluma Adventure**, you can focus on the destination knowing your gear will be ready when you arrive.

You're not here to compromise. Neither are we.

TABLE OF CONTENTS

4 UTILITY



13 CAR HAULERS



17 HEAVY DUTY





19 MOTORCYCLES



23 SNOWMOBILE



25 EXECUTIVE SERIES



UTILITY TRAILERS - SINGLE AXLE



5410-BT shown w/ optional bi-fold tailgate



548-BT shown w/ optional bi-fold tailgate



6812H-BT shown w/ optional bi-fold tailgate



6310H

MODELS 486 - 6814H												
		486	548	5410	638	6310	6810	6310H	6314H	6810H	6812H	6814H
STANDARD FEATURES	Overall Width x Length	65.5" x 120"	75.5" x 145"	75.5" x 168"	84.5" x 145"	84.5" x 169"	92.5" x 175"	86.5" x 175"	86.5" x 222.5"	92.5" x 175"	92.5" x 199"	92.5" x 222.5"
	Bed Width x Length	48" x 72"	54" x 96"	54" x 120"	63" x 96"	63" x 120"	69" x 122.5"	63.5" x 122"	63.5" x 171"	69" x 122"	69" x 147"	69" x 169.5"
	Bed Height	14.5"	16.75"	16.75"	16.75"	16.75"	16.25"	18.5"	18.5"	18.5"	18.5"	18.5"
	Weight	280#	390#	425#	400#	440#	550#	560#	650#	580#	640#	675#
	GVWR	1200#	2000#	2000#	2000#	2000#	2200#	2990#	2990#	2990#	2990#	2990#
	Rubber Torsion Axle	1200#	2000#	2000#	2000#	2000#	2200#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
	Wheels	12" Steel	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
	Side Stake Pockets	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	N/A	N/A	N/A	N/A	N/A	N/A
	Tie Down Loops	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
Tailgate Width x Length	44.625"W x 39"L	50.25"W x 39"L	50.25"W x 39"L	59.25"W x 39"L	59.25"W x 39"L	67.25"W x 44"L	60.5"W x 44"L	60.5"W x 44"L	67.25"W x 44"L	67.25"W x 44"L	67.25" W x 44" L	

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

UTILITY TRAILERS - SINGLE AXLE



7814S-BT



7210-BT



7814S-BT



7712H-TG



Tie-Down Loop

MODELS 7210-8214HS

STANDARD FEATURES		7210	7210H	7212HSLR	7710H	7712H	7814ST	7815S	8214HS
	Overall Width x Length	93.5" x 169"	95.5" x 175"	96" x 205"	101.5" x 176"	101.5" x 194.5"	101.5" x 225"	101.5" x 227.5"	101.5" x 225"
	Bed Width x Length	72" x 120"	72" x 122"	72" x 150"	77" x 123"	77.5" x 142"	77.5" x 172.5"	77.5" x 182"	80" x 172.5"
	Bed Height	16.75"	18.5"	18.75"	18.5"	18.5"	18.5"	20.75"	19.5"
	Weight	450#	615#	710#	600#	650#	740#	820#	1150#
	GVWR	2200#	2990#	2990#	2990#	2990#	2990#	4250#	5200#
	Rubber Torsion Axle	2200#	1-3500#	3500#	1-3500#	1-3500#	1-3500#	1-4400#	1-5200#
	Wheels	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" Aluminum	15" 6 Bolt Aluminum
	Side Stake Pockets	4 Total 2 Per Side	N/A	N/A	4 Total 2 Per Side	4 Total 2 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
	Tie Down Loops	4 Total 2 Per Side	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	4 Total 2 Per Side	4 Total 2 Per Side	4 Total 2 Per Side	8 Total 3 Per Side 2 Front	4 total recessed SS 5000#
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate	68.5"W x 44"L	69.5"W x 44"L	Slide Out Ramp 63" x 69.5"	75.5"W x 44"L	75.5"W x 44"L	75.5"W x 44"L	75.5"W x 44"L Bi-fold - 75.5"W x 60"L	2 Pull Out 6' Ramps

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

UTILITY TRAILERS - SINGLE AXLE TILT



7815S Tilt with Lock-out Valve



7815S Tilt



8214HS Tilt



One Piece Slotted Rail



Fender Steps



Tongue Handle & Receptacle Holder

MODELS 5410 Tilt - 8214HS Tilt

STANDARD FEATURES		5410 Tilt	6810 Tilt	6812H Tilt	7712H Tilt	7814S Tilt	7815S Tilt	8015S Tilt	8214HS Tilt
	Overall Width x Length	75.5" x 168"	92.5" x 175"	92.5" x 200"	101.5" x 194.5"	101.5" x 227"	101.5" x 234.5"	101.5" x 240.5"	101.5" x 225"
	Bed Width x Length	54" x 120"	69" x 125"	69" x 150"	77.5" x 145"	77.5" x 176"	77.5" x 185"	81" x 182"	80" x 174"
	Bed Height	16.75"	16.25"	18.5"	18.5"	18.5"	20.75"	21"	19.5"
	Weight	360#	600#	660#	680#	765#	860#	962#	1064#
	GVWR	2000#	2200#	2990#	2990#	2990#	4250#	4250#	5200#
	Rubber Torsion Axle	2000#	2200#	1-3500#	1-3500#	1-3500#	1-4400#	1-4400#	1-5200#
	Wheels	13" Steel	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" 5-Bolt Aluminum	15" 5-Bolt Aluminum	15" 6-Bolt Aluminum
	Side Stake Pockets	4 Total 2 Per Side	N/A	N/A	6 Total 3 Per Side	6 Total 3 Per Side	N/A	N/A	6 Total 3 Per Side
	Tie Down Loops	4 Total 2 Per Side	7 Total 3 Per Side 1 Front Center	7 Total 3 Per Side 1 Front Center	4 Total 2 Per Side	4 Total 2 Per Side	8 Total 3 Per Side 2 Front	8 Total 3 Per Side 2 Front	4 total recessed SS 5000#
	Aluminum Tongue	Straight 2" Coupler	Straight 2" Coupler	A-Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate Width x Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Tilted Angle	16 Degrees	15 Degrees	15 Degrees	15 Degrees	12.5 Degrees	13.1 Degrees	12.9 Degrees	12.5 Degrees

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

80 SERIES - SINGLE AXLE



8015S-EL-TG



8015S-EL-TG



8015S-EL-TG



8015S-EL-TG

MODELS 8012-8015				
	8012 TG/BT	8014 TG/BT	8015 TG/BT	
STANDARD FEATURES	Overall Width x Length	101.5" x 210"	101.5" x 233"	101.5" x 240"
	Bed Width x Length	81" x 149"	81" x 172.5"	81" x 182"
	Bed Height	21"	21"	21"
	Weight (TG) Weight (BT)	860# 890#	910# 940#	930# 960#
	GVWR	4250#	4250#	4250#
	Rubber Torsion Brakes	4400#	4400#	4400#
	Wheels	15" Aluminum	15" Aluminum	15" Aluminum
	Tie Down Loops	8 Total 3 Per Side 2 Front	8 Total 3 Per Side 2 Front	8 Total 3 Per Side 2 Front
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
	Tailgate(TG) Bi-fold Tailgate (BT)	75.5"W x 44"L Tailgate 75.5"W x 60"L Bi-fold Tailgate	75.5"W x 44"L Tailgate 75.5"W x 60"L Bi-fold Tailgate	75.5"W x 44"L Tailgate 75.5"W x 60"L Bi-fold Tailgate

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS.
SEE DEALER FOR SPECIFIC MODEL FEATURES.

81 SERIES - SINGLE AXLE



8115-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.



8114-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.



8112H-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.

MODELS 8112-BT-SR-8115-BT-SR

	8112-BT-SR	8114-BT-SR	8115-BT-SR
Overall Width x Length	101.5" X 193"	101.5" X 219"	101.5" X 230"
Bed Width x Length	79.25" X 145"	79.25" X 172"	79.25" X 180"
Bed Height	20.5"	20.5"	19.5"
Weight	830#	942#	970#
GVWR	2990#	2990#	2990#
Rubber Torsion Axle	3500#	3500#	3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum
Tie Down Loops	6 Total 3 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
Tailgate/Ramps	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L	2-69" Ramps & Rear Bi-fold Ramp 75.5" W x 59" L

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



8115-BT-SR (pictured above) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.

MODELS 8112H-BT-SR-8115H-BT-SR

	8112H-BT-SR	8114H-BT-SR	8115H-BT-SR
Overall Width x Length	101.5" X 195"	101.5" X 222"	101.5" X 231"
Bed Width x Length	79.25" X 145"	79.25" X 172"	79.25" X 180"
Bed Height	22.5"	22.5"	21.5"
Weight	800#	920#	970#
GVWR	4250#	4250#	4250#
Rubber Torsion Axle	4400#	4400#	4400#
Wheels	15" Aluminum	15" Aluminum	15" Aluminum
Tie Down Loops	6 Total 3 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
Tailgate/Ramps	2-69"x12" Ramps & Rear Bi-fold Ramp 75.5" W x 60" L	2-69"x12" Ramps & Rear Bi-fold Ramp 75.5" W x 60" L	2-69"x12" Ramps & Rear Bi-fold Ramp 75.5" W x 60" L

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

UTILITY TRAILERS - TANDEM AXLE



OPTIONAL FEATURES



Aluminum Rock Guard
All Models



Bi-fold Tailgate

***Shown w/ optional Rear Stabilizer Jacks.**



MODELS 7812-7824

		7812	7814	7816	7818	7820	7822	7824
STANDARD FEATURES	Overall Width x Length	101.5" x 197"	101.5" x 226"	101.5" x 245"	101.5" x 272"	101.5" x 294"	101.5" x 322"	101.5" x 346"
	Bed Width x Length	77.5" x 144"	77.5" x 173"	77.5" x 192"	77.5" x 221"	77.5" x 240"	77.5" x 268"	77.5" x 292"
	Bed Height	18.5"	18.5"	18.5"	18.5"	18.5"	20"	20"
	Weight	1050#	1125#	1175#	1225#	1275#	1520#	1570#
	GVWR	7000#	7000#	7000#	7000#	7000#	7000#	7000#
	Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
	Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
	Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable
	Side Stake Pockets	4 Total 2 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
	Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
	Aluminum Rear Stabilizer Jacks	Optional	Optional	Optional	Optional	Optional	Optional	Optional
	Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard	Standard
	Ramps / Tailgate	2-4' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps	2-5' Pull Out Ramps

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

UTILITY TRAILERS - TANDEM AXLE



8016TA-BT



8016TA-BT *Shown w/optional Rear Stabilizer Jacks.



8016TA-BT

MODELS 8012TA-8024TA

		8012 TG/BT	8014 TG/BT	8016 TG/BT	8018 TG/BT	8020 TG/BT	8022 TG/BT	8024 TG/BT
STANDARD FEATURES	Overall Width x Length	101.5" x 213"	101.5" x 235"	101.5" x 254"	101.5" x 281"	101.5" x 300"	100.5" x 321"	100.5" x 350"
	Bed Width x Length	81" x 150"	81" x 172.5"	81" x 192"	81" x 220.5"	81" x 240"	81" x 267"	81" x 291"
	Bed Height	21"	21"	21"	21"	21"	21"	21"
	Weight (TG) Weight (BT)	1100# 1130#	1150# 1180#	1200# 1230#	1250# 1280#	1495# 1525#	1300# 1326#	1365# 1390#
	GVWR	8500#	8500#	8500#	8500#	8500#	8500#	8500#
	Rubber Torsion Brakes Both Axles	2-4400#	2-4400#	2-4400#	2-4400#	2-4400#	2-4400#	2-4400#
	Wheels	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum
	Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable
	Recessed Tie Rings	4 Total SS #2000	4 Total SS #2000	4 Total SS #2000	4 Total SS #2000	4 Total SS #2000	6 Total SS #2000	8 Total SS #2000
	Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
	Aluminum Rear Stabilizer Jacks	Optional	Optional	Optional	Optional	Optional	Optional	Optional
	Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard	Standard
	Tailgate(TG)	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate
	Bi-fold Tailgate (BT)	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS -- STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

UTILITY TRAILERS - TANDEM AXLE



8016TA-R-TG



8022TA-R



8022TA-R

MODELS 8014TA-R (Ramps)-8024TA-R (Ramps)

	8014 R/TG/BT	8016 R/TG/BT	8018 R/TG/BT	8020 R/TG/BT	8022 R/ TG/BT	8024 R/TG/BT
Overall Width x Length	101.5" x 235"	101.5" x 254"	101.5" x 281"	101.5" x 300"	100.5" x 321"	100.5" x 350"
Bed Width x Length	81" x 172.5"	81" x 192"	81" x 220.5"	81" x 240"	81" x 267"	81" x 291"
Bed Height	21"	21"	21"	21"	21"	21"
Weight (R)	1145#	1195#	1245#	1295#	1425#	1555#
Weight (TG)	1150#	1200#	1250#	1495#	1625#	1755#
Weight (BT)	1180#	1230#	1280#	1525#	1655#	1785#
GVWR	8500#	8500#	8500#	8500#	8500#	8500#
Rubber Torsion Brakes Both Axles	2-4400#	2-4400#	2-4400#	2-4400#	2-4400#	2-4400#
Wheels	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum
Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable
Recessed Tie Rings	4 Total SS #2000	4 Total SS #2000	4 Total SS #2000	4 Total SS #2000	6 Total SS #2000	8 Total SS #2000
Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
Aluminum Rear Stabilizer Jacks	Optional	Optional	Optional	Optional	Optional	Optional
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard
Ramps	2-4' Pull Out Ramps w/Storage underneath	2-5' Pull Out Ramps w/Storage underneath	2-5' Pull Out Ramps w/Storage underneath	2-5' Pull Out Ramps w/Storage underneath	2-5' Pull Out Ramps w/Storage underneath	2-5' Pull Out Ramps w/Storage underneath
Tailgate(TG)	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate	75.5"W x 44"L Tailgate
Bi-fold Tailgate (BT)	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate	75.5"W x 60"L Bi-fold Tailgate

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

81 SERIES - TANDEM AXLE



8122TA-BT-SR (pictured left) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.

MODELS 8116TA-BT-SR - 8122TA-BT-SR

	8116TA-BT-SR	8118TA-BT-SR	8120TA-BT-SR	8122TA-BT-SR
Overall Width x Length	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"
Bed Width x Length	79" x 193"	79" x 217"	79" x 241"	79" x 264"
Bed Height	20.25"	20.25"	20.25"	20.25"
Weight	1525#	1600#	1675#	1750#
GVWR	7000#	7000#	7000#	7000#
Rubber Torsion Axle	2-3500# Electric Brakes	2-3500# Electric Brakes	2-3500# Electric Brakes	2-3500# Electric Brakes
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Aluminum Fenders	Removable	Removable	Removable	Removable
Tie Down Loops	10 Total 5 Per Side	10 Total 5 Per Side	10 Total 5 Per Side	12 Total 6 Per Side
Aluminum Tongue	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler	A-Frame 2 5/16" Coupler
Breakaway Switch with Battery	Standard	Standard	Standard	Standard
Ramps / Tailgate	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x60"L	2) 69" front ramps Rear side racks Rear Bi-fold TG 75.5"W x60"L

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS


**TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS.
SEE DEALER FOR SPECIFIC MODEL FEATURES.**



8116TA-BT-SR (pictured left) comes standard with 12" solid front, 12" solid rear sides, 2 - 69" x 12" front side ramps and Bi-fold Tailgate.

CAR HAULERS - TANDEM AXLE

OPTIONAL FEATURES



Tilt Winch Mount



Air Dam




**Recessed Swivel
Ring 5000#**



82 Tire Rack
Fits 82 Tandem and 82 Tilt



8222H
shown with optional air dam and storage box



Tool Box


**All trailers on this page except the 8212 & 8214 have Spread Axles as a standard feature.
The distance between fenders is 83.5" inches with 3500 lb axle, and 82.5" with 5200 lb axle.**

MODELS 8212-8224H								
	8212	8214	8216	8218	8220	8222H	8224H	
STANDARD FEATURES	Overall Width x Length	101.5" x 196"	101.5" x 224"	101.5" x 243"	101.5" x 272"	101.5" x 290"	100.5" x 320"	100.5" x 346"
	Bed Width x Length	81" x 144"	81" x 172"	81" x 192"	81" x 221"	81" x 240"	80" x 268"	80" x 295"
	Bed Height	20"	20"	20"	20"	20"	21.5"	21.5"
	Weight	1150#	1250#	1350#	1450#	1575#	2000#	2100#
	GVWR	7000#	7000#	7000#	7000#	7000#	9990#	9990#
	Optional	9990#	9990#	9990#	9990#	9990#		
	Rubber Torsion Brakes	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-5200#	2-5200#
	Both Axles							
	Optional*	2-5200#	2-5200#	2-5200#	2-5200#	2-5200#		
	Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15"	15"
	Optional*	15"	15"	15"	15"	15"	6-Bolt Aluminum	6-Bolt Aluminum
	6-Bolt Aluminum							
MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS								

*With 2-5200# Optional Axles, wheels become 15" 6 Bolt Aluminum.

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

CAR HAULERS - TANDEM AXLE



**Lock Down on
Tilt Trailer**



**Locking Valve on
Tilt Trailer**



8218 Tilt



8216 Tilt



**Optional
JT Package shown**



8220 Tilt Removable Fenders

**Optional - Power Tilt,
Factory installed - Fits all 82 Tilts**



MODELS 8216-8220 Tilt				
	8216 Tilt	8218 Tilt	8220 Tilt	
STANDARD FEATURES	Overall Width x Length	101.5" x 270"	101.5" x 292"	101.5" x 317"
	Bed Width x Length	81" x 216" 196.5" Tilting	81" x 238" 219" Tilting	81" x 263" 244" Tilting
	Bed Height	21"	21"	21"
	Weight	1300#	1400#	1525#
	GVWR Optional*	7000# 9990#	7000# 9990#	7000# 9990#
	Rubber Torsion Brakes Both Axles Optional*	2-3500# 2-5200#	2-3500# 2-5200#	2-3500# 2-5200#
	Wheels	14" Aluminum	14" Aluminum	14" Aluminum
	Optional*	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum
	Aluminum Fenders	Removable	Removable	Removable
	Side Stake Pockets	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 44.5" Long 2-5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler
	Padded Tongue Jack	2500# Capacity	2500# Capacity	2500# Capacity
	Breakaway Switch with Battery	Standard	Standard	Standard
	Tilted Angle (3500# axles)	10.50	9.00	8.25
	Tilted Angle (5200# axles)	10.75	9.00	8.00

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

*With 2-5200# Optional Axles, wheels become 15" 6 Bolt Aluminum.

LED LIGHTS & TONGUE MOUNTED JACK — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

WIDE BODY TRAILERS - DRIVE OVER FENDERS



WB15HSDOF



WB20HTADOFF - shown with optional rock guard



Drive Over Fenders (DOF)

MODEL WB15H-S-EL-DOF-R-RR-RTD	
	WB15H-S-EL-DOF-R-RR-RTD *
Overall Width x Length	101.5" x 241"
Bed Size	96.875" x 179.5"
Distance Between Fenders	82.5"
Bed Height	26.24"
Weight	1110#
GVWR	5200#
Rubber Torsion Axle	1-5200#
Wheels	15" Aluminum
Aluminum Fenders	Drive-over
Side Stake Pockets	14 Total - 7 Per Side w/Rub Rail
Ramps	2-7' Pull out Ramps
Aluminum Tongue	A-Frame 54" Long 2" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side
Breakaway Switch with Battery	Standard

*Heavy axle standard on H models.

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODELS WB16-TA-EL-DOF-R-RR-RTD - WB28H-TA-EL-DOF-R-RR-RTD

	WB16-TA-EL-DOF-R-RR-RTD	WB18-TA-EL-DOF-R-RR-RTD	WB20H-TA-EL-DOF-R-RR-RTD *	WB22H-TA-EL-DOF-R-RR-RTD *	WB24H-TA-EL-DOF-R-RR-RTD *	WB26H-TA-EL-DOF-R-RR-RTD *	WB28H-TA-EL-DOF-R-RR-RTD *
Overall Width x Length	101.5" x 254.5"	101.5" x 278.5"	101.5" x 302"	101.5" x 330"	101.5" x 349.5"	101.5" x 379.5"	101.5" x 406"
Bed Size	96.75" x 191"	96.75" x 216"	96.75" x 239"	96.75" x 268"	96.75" x 287"	96.75" x 317"	96.75" x 345"
Distance Between Fenders	81.75"	81.75"	81.75"	81.75"	81.75"	81.75"	81.75"
Bed Height	22.73"	22.73"	26.24"	26.24"	26.24"	28.24"	28.24"
Weight	1450#	1550#	2000#	2100#	2200#	2325#	2450#
GVWR	7000#	7000#	9990#	9990#	9990#	9990#	9990#
Optional*	9990#	9990#					
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-5200#	2-5200#	2-5200#	2-5200#	2-5200#
Optional*	2-5200#	2-5200#					
Wheels	14" Aluminum	14" Aluminum	15"	15"	15"	15"	15"
Optional*	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	6-Bolt Aluminum	6-Bolt Aluminum	6-Bolt Aluminum	6-Bolt Aluminum	6-Bolt Aluminum
Aluminum Fenders	Drive-over	Drive-over	Drive-over	Drive-over	Drive-over	Drive-over	Drive-over
Side Stake Pockets	14 Total 7 Per Side w/Rub Rail	16 Total 8 Per Side w/Rub Rail	20 Total 10 Per Side w/Rub Rail	22 Total 11 Per Side w/Rub Rail	24 Total 12 Per Side w/Rub Rail	26 Total 13 Per Side w/Rub Rail	26 Total 13 Per Side w/Rub Rail
Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps	2-7' Pull out Ramps
Aluminum Tongue	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler	A-Frame 54" Long 2-5/16" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard	Standard

*Heavy axle standard on H models.

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS— STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

FLATBED TRAILERS - TANDEM AXLE



1020 - shown with rub rail and Split Bi-fold Tailgate Pictured to the left



1020 - shown with rub rail and Split Bi-fold Tailgate Pictured above



Split Bi-fold Tailgate

MODELS 1020-1030

	1020	1022	1024	1026	1028 H	1030 H
Overall Width x Length	101.5" x 297"	101.5" x 322"	101.5" x 343"	101.5" x 370"	101.5" x 391"	101.5" x 420"
Bed Width x Length	100" x 20'	100" x 22'	100" x 24'	100" x 26'	100" x 28'	100" x 30'
Bed Height	31.5"	31.5"	31.5"	31.5"	34"	34"
Weight	1500#	1575#	1650#	1725#	2045#	2225#
GVWR Optional*	7000# 9990#	7000# 9990#	7000# 9990#	7000# 9990#	9990#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-5200#	2-5200#
Optional*	2-5200#	2-5200#	2-5200#	2-5200#		
Wheels Optional*	14" Aluminum 15" Aluminum	14" Aluminum 15" Aluminum	14" Aluminum 15" Aluminum	14" Aluminum 15" Aluminum	15" Aluminum	15" Aluminum
Dove Tail	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop	48" long 8" Drop
Deck Style	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail	Full Top Rail or Rub Rail
Ramp / Tailgate	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps	2-Bi-folds or 2-6' Ramps
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Aluminum Rear Stabilizer Jacks	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side
Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard

*With 2-5200# Optional Axles, wheels become 15" 6 Bolt Aluminum.

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



top rail



rub rail



SUPER HEAVY TANDEM

1020-14K series



8118W-10K



TR-8218-14K

		MODELS 8216-14K - 8222-14K				MODELS 1020-14K - 1026-14K				MODELS 8116W-10K - 8118W-10K WOOD DECK	
		8216-14K	8218-14K	8220-14K	8222-14K	1020-14K	1022-14K	1024-14K	1026-14K	8116W-10K	8118W-10K
STANDARD FEATURES	Overall Width x Length	101.5" x 262"	101.5" x 286"	101.5" x 310"	101.5" x 330"	101.5" x 318"	101.5" x 328"	101.5" x 348"	101.5" x 376"	101.5" x 265"	101.5" x 289"
	Bed Width x Length	79" x 200"	79" x 224"	79" x 248"	79" x 267"	96.5" x 20'	96.5" x 22'	96.5" x 24'	96.5" x 26'	81" x 197"	81" x 220.5"
	Bed Height	21.5"	21.5"	21.5"	21.5"	36"	36"	36"	36"	22"	22"
	Weight	2,200#	2,350#	2,510#	2,675#	2,775#	3,000#	3,225#	3,450#	1,566#	1,945#
	GVWR	14,000#	14,000#	14,000#	14,000#	14,000#	14,000#	14,000#	14,000#	9,990#	9,990#
	Rubber Torsion Axle	2-7000#	2-7000#	2-7000#	2-7000#	2-7000#	2-7000#	2-7000#	2-7000#	2-5200#	2-5200#
	Wheels	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum	15" Aluminum	15" Aluminum
	Bolt-on Heavy Tie Downs	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler
	Spring-Loaded Drop Leg Jack	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity	10,000# Capacity
	Hinged Aluminum Ramp	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L	2 - 16"W x 5'L

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

LED LIGHTS & TONGUE MOUNTED JACK – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

8200 SUPER HEAVY TILT TANDEM UTILITIES

MODELS 8200 -14K-TILT - 8222-14K-TILT			
	8220-14K-TILT	8222-14K-TILT	8222-14K-TILT
Overall Width x Length	101.5" x 288"	101.5" x 308"	101.5" x 308"
Bed Width x Length	82" x 190"	82" x 209"	82" x 186"
Weight	2050#	2200#	2200#
GVWR	14000#	14000#	14000#
Rubber Torsion Brakes Both Axles	2-7000#	2-7000#	2-7000#
Wheels	16" Aluminum	16" Aluminum	16" Aluminum
Aluminum Fenders	Removable	Removable	Removable
Bolt-on Heavy Tie Downs	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side
Aluminum Tongue	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler	A-Frame 2 5/16" Adjustable Coupler
Swivel Tongue Jack	10K Spring-Loaded Drop Leg Jacks	10K Spring-Loaded Drop Leg Jacks	10K Spring-Loaded Drop Leg Jacks
Tilt Angle	11.5 Degrees	9.5 Degrees	10.5 Degrees
Breakaway Switch with Battery	Standard	Standard	Standard
Stationary Front	4'	4'	6'
Deck Height	21.5"	21.5"	21.5"

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



8222-14K-Tilt



8220-14K-Tilt



Bolt-on Heavy Tie Downs



42" Long A-Frame Aluminum Tongue w/ 2 5/16" Adjustable Coupler



ST235/80R16 LRE Radial Tires



Zinc Heavy Duty Bed Lock

LED LIGHTS & TONGUE MOUNTED JACK — STANDARD ON MOST MODELS.
SEE DEALER FOR SPECIFIC MODEL FEATURES.



8220-14K-Tilt
shown with optional Tool Box



8222-14K-Tilt

MOTORCYCLE TRAILERS



MC2F Folding
(89.5" upright)



MC10



MC1F Folding



MC210



TK1

MOTORCYCLE MODELS

		MC10	MC1F	MC210	MC2F	TK1	8214HS Tilt
STANDARD FEATURES	Overall Width x Length	75.5" x 172"	75.5" x 125.5" Stands 95"	101.5" x 174"	94" x 143" Stands 89.5"	86" x 185"	101.5" x 225"
	Bed Width x Length	51" x 138"	51" x 106"	78" x 138"	69" x 114"	63" x 137"	80" x 174"
	Bed Height	18.5"	16.25"	18"	18.5"	19"	19.5"
	Weight	540#	450#	600#	625#	525#	1064#
	GVWR	2000#	2000#	2990#	2990#	2990#	5200#
	Rubber Torsion Axle	1-2000#	1-2000#	1-3500#	1-3500#	1-3500#	1-5200#
	Wheels	13" Aluminum	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" 6 Bolt Aluminum
	Tie Down Loops	4 Total 2 Per Side	4 Total 2 Per Side	8 Stainless Steel Recessed	4 w/1 Stainless Steel Recessed	4 Stainless Steel Recessed	4 total recessed 5000#
	Side Stake Pockets	N/A	N/A	N/A	N/A	N/A	6 Total 3 Per Side
	Ramps	45"W x 69.5"L	27"W x 48"L	71.875"W x 69.5"L	26"W x 64"L	57.125"W x 69.5"L	N/A
	Aluminum Tongue	Straight 2" Coupler	Straight 2" Coupler	Straight 2" Coupler	Straight Foldable 2" Coupler	Straight 2" Coupler	Straight 2" Coupler
	Motorcycle Bracket	2'	2'	2 - 2'	2 - 2'	2'	N/A
	Aluminum Shield	24" Tall	24" Tall	24" Tall	24" Tall	24" Tall with storage box	24" Tall
	Tilted Angle	N/A	N/A	N/A	N/A	N/A	12.5 Degrees 5 Degress with Slingshot Ramps

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS — STANDARD ON MOST MODELS.
SEE DEALER FOR SPECIFIC MODEL FEATURES.

MOTORCYCLE TRAILERS



8214HS Tilt



Slingshot Kit for the 8214HS Tilt Includes:

- 24 in. Rock Guard**
- 1 - 60.75" Ramp stores behind the Rock Guard**
- 2 - 65" Ramps mount in the stake pockets**
- 2 - stabilizer legs**



RAFT TRAILERS

RAFT TRAILERS			
		8412RT	8414RT
STANDARD FEATURES	Overall Width x Length	85" x 200"	85" x 224"
	Bed Width	84"	84"
	Bed Length	144"	168"
	Bed Height	29.5"	29.5"
	Weight	625#	675#
	GVWR	2200#	2200#
	Axle	1-2200# Torsion	1-2200# Torsion
	Wheels	13" Steel	13" Steel
	Adjustable Winch	1	1
	Tie Down Loops	10	10
	Rear Roller	Full Width	Full Width
	Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler
	Floor	Nudo Flooring	Nudo Flooring

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



**8414 RT
Raft Trailer**



Kayak/Canoe Rack
Compatible w/ most flatbed models

UTILITY TRAILERS



7814HSLR Ramp Stowed



7814HSLR Ramp Slid out



7814HSLR

MODELS 7812HSLR - 7814HSLR			
		7812HSLR	7814HSLR
STANDARD FEATURES	Overall Width x Length	101.5" x 200"	101.5" x 225"
	Bed Width x Length	77.5" x 144.5"	77.5" x 172.5"
	Weight	740#	775#
	GVWR	2990#	2990#
	Rubber Torsion Axles	3500#	3500#
	Wheels	14" Aluminum	14" Aluminum
	Ramp	Rear Pull Out 71.5" x 69.5"	Rear Pull Out 75" x 70"

MODEL SPECS SUBJECT TO CHANGE PLEASE
CHECK WITH DEALER FOR LATEST SPECS



TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS —
STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

UTV/ATV TRAILERS



A8812 shown with optional Front Rock Guard




A8816 ATV

		DECK OVER UTV/ATV MODELS				UTV/ATV UTILITY MODELS	
		A8810	A8812	A8816	A8818	UTR 12	UTR 14H
STANDARD FEATURES	Overall Width x Length	90.5" x 179"	90.5" x 206"	90.5" x 251.5"	90.5" x 270"	101.5" x 208"	101.5" x 297"
	Bed Width x Length	88" x 126.75"	88" x 154"	88" x 198"	88" x 216"	78" x 151.25"	81" x 175"
	Bed Height	30"	31"	31"	31"	20.25"	20.25"
	Weight	575#	675#	960#	1025#	940#	1019#
	GVWR	2200#	2990#	4400#	7000#	2990#	4250#
	Brakes Both Axles	N/A	3500#	2 - 2200#	2 - 3500#	N/A	4400#
	Rubber Torsion Axle	2200#	3500#	2200#	3500#	3500#	4400#
	Wheels	13" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Black Aluminum	15" Black Aluminum
	Tie Down Loops	6 Total	8 Total	10 Total	10 Total	4 Tie Downs 1 Swivel	4 Tie Downs 1 Swivel
	Aluminum Tongue	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	Straight 2" Coupler	Straight 2" Coupler
	Ramps/Tailgate	2 - 69" Ramps	4 - 69" Ramps	4 - 69" Ramps	4 - 69" Ramps	Rear Pull Out Ramp 71 7/8"W x 69.5"L	Rear Pull Out Ramp 71 7/8"W x 69.5"L
	Aluminum Shield	Optional	Optional	Optional	Optional	24" Rock Guard w/ Storage Box	24" Rock Guard w/ Storage Box

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



Optional Twist and Lock Deck Hook for UTR



LED Bed Lights for UTR



UTR14 - UTR Series

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & SWIVEL JACKS – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

SNOWMOBILE TRAILERS

8610T & 8612T
shown w/ optional salt shield, and
Aluminum Wheel Upgrade



8612Tilt



5012Tilt

TILT BED SNOWMOBILE TRAILERS

		5010TILT	5012TILT	8610TILT	8612TILT	8612D-TILT
STANDARD FEATURES	Overall Width x Length	71.5" x 175"	71.5" x 199"	102" x 172"	102" x 196"	102" x 216"
	Bed Width x Length	50" x 120"	50" x 144"	101.25" x 120"	101.25" x 144"	101.25" x 144"
	Weight	400#	435#	475#	525#	650#
	GVWR	2000#	2000#	2200#	2200#	2200#
	Rubber Torsion Axles	1 - 2000#	1 - 2000#	1 - 2200#	1 - 2200#	1 - 2200#
	Wheels	13" Steel	13" Steel	12" Steel	12" Steel	12" Steel
	Tongue	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler	Heavy Duty Tongue 2" Coupler
	Floor	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH
DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, LED LIGHTS & SWIVEL JACKS — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

SNOWMOBILE TRAILERS



8622

STANDARD FEATURES

- Full-length slider channels
- Nudo Flooring
- Rubber mounted sealed lights
- Aluminum ski tie-down bars
- Swivel tongue jack 1500#



POPULAR OPTIONS

- DH - Heavy package option
- Combo shield for drive-on/ drive-off
- 13" or 15" wheel upgrades in either steel or aluminum wheels
- Recessed tie rings
- Spare tire
- Spare tire mounting bracket
- Tongue handle



Combination Salt Shield & Drive-off Ramp



8620

shown with optional combination salt shield & drive-off ramp



8624

shown with optional 13" aluminum wheels, combo shield and spare tire & mount

		2 PLACE DRIVE ON/ DRIVE OFF		3 PLACE DRIVE ON/ DRIVE OFF		4 PLACE DRIVE ON/DRIVE OFF			
		8610D	8612D	8614	8616	8618	8620	8622	8624
STANDARD FEATURES	Overall Width x Length	102" x 193"	102" x 216"	102" X 240"	102" X 264"	101.25" x 290"	101.25" x 314"	101.25" x 338"	101.25" x 362"
	Bed Width x Length	101.25" x 120"	101.25" x 144"	101.25" X 168"	101.25" X 192"	101.25" x 216"	101.5" x 240"	101.5" x 264"	101.5" x 288"
	Bed Height	26"	26"	26"	26"	26"	26"	26"	26"
	Weight	550#	650#	850#	975#	1025#	1100#	1175#	1275#
	GVWR	2200#	2200#	2990#	4400#	4400#	4400#	4400#	4400#
	Rubber TorsionAxle	2200#	2200#	2-2200#	2-2200#	2 - 2200#	2 - 2200#	2 - 2200#	2 - 2200#
	Brakes	Optional	Optional	Optional	Standard	Standard	Standard	Standard	Standard
	Wheels	12" Steel	12" Steel	12" Steel	12" Steel	12" Steel	12" Steel	12" Steel	12" Steel
	Swivel Tongue Jack	1200# Capacity	1200# Capacity	1500# Capacity	1500# Capacity	1500# Capacity	1500# Capacity	1500# Capacity	1500# Capacity
	Tongue	A Frame 2" Coupler	A Frame 2" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler	A Frame 2 5/16" Coupler
	Floor	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring	Nudo Flooring
	Ramps	54" W x 72" L	54" W x 72" L	54" W x 72" L	54" W X 72" L	54" W X 72" L	54" W X 72" L	54" W X 72" L	54" W X 72" L
	Aluminum Salt Shield	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, LED LIGHTS & SWIVEL JACKS — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

EXECUTIVE SERIES TRAILERS - CAR HAULERS



8216H-EX-8224H-EX, 8216TILT-EX-8220TILT-EX

EXECUTIVE SERIES *

14" Black Aluminum, Heavy Axles 15" Black Aluminum
8 Bed Lights
45 Degree Storage Box with LED Lights
44" Air Dam
Ramps - Non-Tilt - 2) 7' Ramps
Receptacle Holder Standard



		MODELS 8216H EX-8224H EX					MODELS 8216-8220 Tilt EX		
		8216H EX	8218H EX	8220H EX	8222H EX	8224H EX	8216 Tilt EX	8218 Tilt EX	8220 Tilt EX
STANDARD FEATURES	Overall Width x Length	101.5" x 243"	101.5" x 272"	101.5" x 290"	101.5" x 320"	101.5" x 346"	101.5" x 268"	101.5" x 290"	101.5" x 315"
	Bed Width x Length	81" x 192"	81" x 220"	81" x 240"	81" x 268"	81" x 295"	81" x 216" 196.5" Tilting	81" x 238" 219" Tilting	81" x 263" 244" Tilting
	Bed Height	20"	20"	20"	21.5"	21.5"	21"	21"	21"
	Weight	1700#	1800#	1925#	2075#	2200#	1375#	1475#	1600#
	GVWR Optional*	9990# 7000#	9990# 7000#	9990# 7000#	9990# 7000#	9990# 7000#	7000# 9990#	7000# 9990#	7000# 9990#
	Rubber Torsion Brakes Both Axles Optional*	2-5200# 2-3500#	2-5200# 2-3500#	2-5200# 2-3500#	2-5200# 2-3500#	2-5200# 2-3500#	2-3500# 2-5200#	2-3500# 2-5200#	2-3500# 2-5200#
	Wheels	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
	Optional*	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum
	Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable	Removable
	Side Stake Pockets	6 Total 3 Per Side	6 Total 3 Per Side	6 Total 3 Per Side	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
	Aluminum Tongue	A-Frame 48" Long 2 5/16" Coupler	A-Frame 48" Long 2 5/16" Coupler	A-Frame 48" Long 2 5/16" Coupler	A-Frame 48" Long 2 5/16" Coupler	A-Frame 48" Long 2 5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler	A-Frame 44.5" Long 2-5/16" Coupler
	Padded Tongue Jack	N/A	N/A	N/A	N/A	N/A	2500# Capacity	2500# Capacity	2500# Capacity
	Aluminum Rear Stabilizer Jacks	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	2-1 Per Side	N/A	N/A	N/A
	Breakaway Switch with Battery	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
	Ramps	2-7' Pull Out Ramps	2-7' Pull Out Ramps	2-7' Pull Out Ramps	2-7' Pull Out Ramps	2-7' Pull Out Ramps	N/A	N/A	N/A
	Tilted Angle (3500# axles)	N/A	N/A	N/A	N/A	N/A	10.50	9.00	8.25
	Tilted Angle (5200# axles)	N/A	N/A	N/A	N/A	N/A	10.75	9.00	8.00

*Heavy models include 5200# Axles, 15" wheels, and 9990# GVWR

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & TONGUE MOUNTED JACK — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

EXECUTIVE SERIES TRAILERS - CAR HAULERS - XL



8220 XL

Cargo Storage Box Standard



XL

EXECUTIVE SERIES 8216 XL - 8222 XL XL SERIES STANDARD FEATURES

EXECUTIVE SERIES	40" Spread Axle
	Side Steps
	Cargo Storage Box
	5) Marker Lights per Side
	8) Bed Lights



8220H XL Tilt



8220 XL - shown with 8 ft pull out Ramps

All trailers on this page have Spread Axles as a standard feature. The distance between fenders is 83.5" inches with 3500 lb axle, and 82.5" with 5200 lb axle.

MODELS 8216 XL - 8222 XL

	8216 XL	8218 XL	8220 XL	8222H XL
Overall Width x Length	101.5" x 256"	101.5" x 280"	101.5" x 304"	101.5" x 328"
Bed Width x Length	81" x 180"	81" x 204"	81" x 228"	81" x 252"
Bed Height	20"	20"	20"	23.5"
Weight	1725#	1825#	1925#	2350#
GVWR	7000#	7000#	7000#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-5200#
Wheels	14" Black Aluminum	14" Black Aluminum	14" Black Aluminum	15" Black Aluminum
Aluminum Fenders	Removable	Removable	Removable	Removable
Recessed Tie Rings	6 Total SS 5000#	6 Total SS 5000#	6 Total SS 5000#	6 Total SS 5000#
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Cargo Storage Box Dimensions	42" H x 81" W x 34" L	42" H x 81" W x 34" L	42" H x 81" W x 34" L	42" H x 81" W x 34" L
Breakaway Switch with Battery	Standard	Standard	Standard	Standard
Ramps	2 - 13" W x 8' L w/Ramp Storage	2 - 13" W x 8' L w/Ramp Storage	2 - 13" W x 8' L w/Ramp Storage	2 - 13" W x 8' L w/Ramp Storage

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODELS 8218 XL TILT - 8220H XL TILT

	8218 XL TILT	8220H XL TILT
Overall Width x Length	101.5" x 320"	101.5" x 344"
Bed Width x Length	81" x 221"	80" x 245"
Bed Height	21"	21"
Weight	2025#	2350#
GVWR	7000#	9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-5200#
Wheels	14" Black Aluminum	15" Black Aluminum
Aluminum Fenders	Removable	Removable
Recessed Tie Rings	4 Total SS 5000#	4 Total SS 5000#
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Cargo Storage Box Dimensions	42" H x 82" W x 34" L	42" H x 82" W x 34" L
Breakaway Switch with Battery	Standard	Standard
Tilt Degree	9 Degrees	8 Degrees

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & TONGUE MOUNTED JACK — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

EXECUTIVE SERIES TRAILERS - CAR HAULERS - LP



LP



8200LP-TILT

MODELS 8216LP-TILT - 8220LP-TILT

	8216LP-TILT	8218LP-TILT	8220LP-TILT
Overall Width x Length	101.5" x 271"	101.5" x 294"	101.5" x 319"
Bed Width x Length	81" x 217.5"	81" x 240"	81" x 265.5"
Tilting Bed	81" x 199.5" Tilting Bed	81" x 222" Tilting Bed	81" x 247" Tilting Bed
Bed Height	21"	21"	21"
Weight	1650#	1750#	1875#
GVWR Optional *	7000# 9990#	7000# 9990#	7000# 9990#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#
Optional *	2-5200#	2-5200#	2-5200#
Wheels	14" Black Aluminum	14" Black Aluminum	14" Black Aluminum
Optional *	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum	15" 6-Bolt Aluminum
Aluminum Fenders	Removable	Removable	Removable
Recessed Tie Rings	4 Total SS 5000#	4 Total SS 5000#	4 Total SS 5000#
Side Stake Pockets	8 Total 4 Per Side	8 Total 4 Per Side	8 Total 4 Per Side
Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
Padded Tongue Jack	2500# Capacity	2500# Capacity	2500# Capacity
Tilt Degree	7.25 Degrees	6.75 Degrees	6.00 Degrees
Breakaway Switch with Battery	Standard	Standard	Standard
Ramps	2 - 12" W x 50" L Zero Approach w/ Ramp Storage	2 - 12" W x 50" L Zero Approach w/ Ramp Storage	2 - 12" W x 50" L Zero Approach w/ Ramp Storage

STANDARD FEATURES

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



8200LP-TILT



8200LP-TILT

EXCLUSIVE to EXECUTIVE SERIES TRAILERS

EXECUTIVE SERIES	Black Aluminum Wheels
	8) Bed Lights
	Tongue Handle
	Storage Box with Light
	Receptacle Holder
	Air Dam

*Heavy models include 5200# Axles, 15" wheels, and 9990# GVWR

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & TONGUE MOUNTED JACK — STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

EXECUTIVE SERIES TRAILERS - CAR HAULERS - XL-LP



8220H-XL-LP-TILT Cargo Storage Box Standard



XL-LP



8220H-XL-LP-TILT - shown with 50" pull out Ramps



8220H-XL-LP-TILT

All trailers on this page have Spread Axles as a standard feature. The distance between fenders is 82.5" with 5200 lb axle.

MODELS 8216H-XL-LP-TILT - 8220H-XL-LP-TILT				
	8216H-XL-LP-TILT	8218H-XL-LP-TILT	8220H-XL-LP-TILT	
STANDARD FEATURES	Overall Width x Length	101.5" x 296"	101.5" x 320"	101.5" x 344"
	Bed Width x Length	80" x 199.5"	80" x 222"	80" x 245"
	Bed Height	21"	21"	21"
	Weight	2451#	2539#	2627#
	GVWR	9900#	9900#	9900#
	Rubber Torsion Brakes Both Axles	2-5200#	2-5200#	2-5200#
	Wheels	15" Black Aluminum	15" Black Aluminum	15" Black Aluminum
	Aluminum Fenders	Removable	Removable	Removable
	Recessed Tie Rings	4 Total SS 5000#	4 Total SS 5000#	4 Total SS 5000#
	Aluminum Tongue	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler	A-Frame 2-5/16" Coupler
	Cargo Storage Box Dimensions	42" H x 82" W x 34" L	42" H x 82" W x 34" L	42" H x 82" W x 34" L
	Breakaway Switch with Battery	Standard	Standard	Standard
	Tilt Degree	7.00 Degrees	6.50 Degrees	5.75 Degrees
	Ramps	2 - 12" W x 50" L Zero approach w/Ramp Storage	2 - 12" W x 50" L Zero approach w/Ramp Storage	2 - 12" W x 50" L Zero approach w/Ramp Storage

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TONGUE HANDLE, RECEPTACLE HOLDER, FENDER STEPS, LED LIGHTS & TONGUE MOUNTED JACK – STANDARD ON MOST MODELS. SEE DEALER FOR SPECIFIC MODEL FEATURES.

EXECUTIVE SERIES	
8216H-XL-LP-TILT - 8220H-XL-LP-TILT	
SERIES STANDARD FEATURES	
EXECUTIVE SERIES	40" Spread Axle
	Full Length Side Steps
	Cargo Storage Box
	5) Marker Lights per Side
	8) Bed Lights
	2 Doors Standard on Storage Box - XL-LP Tilt
	Receptacle Holder



2 Doors Standard on Storage Box

**Affordability
Starts Here**



**548ESA, 6310ESA & 6812H-ESA
come standard with 12" Solid Sides.**



ALUMA ESA SERIES - ALUMINUM DECK

		548ESA	6310ESA	6812H-ESA	7810ESA	7812ESA	7814ESA
STANDARD FEATURES	Overall Width x Length	75.5" x 145"	84.5" x 168"	92.5" x 199"	101.5" x 175"	101.5" x 200"	101.5" x 225"
	Bed Width x Length	54" x 96"	63" x 120"	69" x 147"	78" x 122.5"	78" x 147"	78" x 172.5"
	Bed Height	16.75"	16.75"	19.5"	19"	19"	19"
	Weight	345#	475#	743#	625#	675#	725#
	GVWR	2000#	2000#	2990#	2990#	2990#	2990#
	Rubber Torsion Axles	2000#	2000#	3500#	3500#	3500#	3500#
	Wheels	13" Steel	13" Steel	14" Steel	14" Steel	14" Steel	14" Steel
	Tie Down Loops	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side	4 Total, 2 Per Side
	Sides	12" Solid Side Kit	12" Solid Side Kit	12" Solid Side Kit	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail
	Tailgate	50.25" x 39" Long	50.25" x 39" Long	67.25" x 44" Long	75.5" x 44" Long	75.5" x 44" Long	75.5" x 44" Long

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



8216TAESA



ALUMA TANDEM AXLE ESA SERIES - ALUMINUM DECK

		7814TAESA	7816TAESA	7818TAESA	7820TAESA	8216TAESA	8218TAESA	8220TAESA
STANDARD FEATURES	Overall Width x Length	101.5" x 220"	101.5" x 245"	101.5" x 269"	101.5" x 293"	101.5" x 245"	101.5" x 269"	101.5" x 293"
	Bed Width x Length	78" x 172.5"	78" x 192"	78" x 216"	78" x 240"	81" x 192"	81" x 220"	81" x 240"
	Bed Height	20"	20"	20"	20"	22"	22"	22"
	Weight	975#	1050#	1125#	1200#	1340#	1420#	1470#
	GVWR	7000#	7000#	7000#	7000#	7000#	7000#	7000#
	Rubber Torsion Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
	Wheels	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel	14" Steel
	Tie Down Loops	6 Total, 3 Per Side	6 Total, 3 Per Side	6 Total, 3 Per Side	6 Total, 3 Per Side	N/A	N/A	N/A
	Stake Pockets	N/A	N/A	N/A	N/A	6 Total, 3 Per Side	6 Total, 3 Per Side	6 Total, 3 Per Side
	Aluminum Fenders	Removable	Removable	Removable	Removable	Removable	Removable	Removable
	Sides	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	7" Heavy Duty Frame Rail	N/A	N/A	N/A
	Bi-fold Tailgate or Ramps	75.5" x 60" Long	75.5" x 60" Long	75.5" x 60" Long	75.5" x 60" Long	2 - 6' Ramps	2 - 6' Ramps	2 - 6' Ramps

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

TRUCK BEDS



66077



**All-Aluminum Build
With Side Rack and
Tailgate Upgrade**



68087



**96106
With Side Rack and
Tailgate Upgrade**



**90087
With Side Rack and
Tailgate Upgrade**



**81106 Shown with Optional
Sides and Rear Gate**



Gooseneck Kit



Back Up Lighting

SPECIFICATIONS

BED SIZE & WEIGHT	6600	6800	8100	9000	9600
	66" x 77" 200#				
	66" x 87" 215#	68" x 87" 225#	81" x 87" 275#	90" x 87" 305#	92" x 87" 300#
			81" x 96" 290#	90" x 96" 325#	96" x 96" 335#
			81" x 106" 310#	90" x 106" 345#	96" x 106" 350#
			81" x 115" 330#	90" x 115" 365#	96" x 115" 370#
			81" x 125" 350#	90" x 125" 385#	96" x 125" 390#
				90" x 144" 415#	96" x 144" 430#
					96" x 168" 480#
					96" x 192" 530#

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS

STANDARD FEATURES

- Extruded aluminum floor with drop rear skirt
- 1/2" x 2" Rub rail with stake pockets
- Headache rack with sealed beam lights
- 3" channel main stringers adjustable to fit different models of trucks
- Recessed sealed beam lights 4 taillights; 11 clearance lights 2 backup lights
- License plate light
- Pre-wired and lights installed

OPTIONS

- Gooseneck Hitch opening with removeable door
- Sides and Tailgate
- Mud flap bracket set —



**20-0002004
Single**

**20-0002005
Dual**

EXECUTIVE TRUCK BEDS SPECIFICATIONS

BED SIZE & WEIGHT	EX8100	EX9600
	81" x 84" 535#	96" x 84" 595#
	81" x 102" 595#	96" x 102" 680#
	81" x 112" 635#	96" x 112" 725#
	81" x 134" 730#	96" x 134" 830#

MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS



EX8100

6048UTV BED SPECIFICATIONS

BED SIZE & WEIGHT	6048UTV
	60" x 45" 210#



**For more information,
contact your local dealer.
Specifications subject
to change without notice.**

OPTIONAL ACCESSORIES

SIDE RACK SETS



12" Solid



24" Solid



24" Open

SPARE TIRE CARRIERS

Model Specific



U-Bolt



Flat Mount



Vertical Mount



Side Rail

TIE DOWNS



Loop



Recessed D-Ring
2000#



Recessed Swivel
Ring 5000#



Surface Mount
8000#

ROCK GUARDS

MISCELLANEOUS



24" Solid Rock Guard




44" Air Dam (78s+82s)



Black Aluminum Wheels

MISCELLANEOUS



Toolbox



Black Steel Wheels



Aluminum Spare Tire 12"-16"

WHY ALUMA?

Our focus. Your benefit.

At Aluma, we've always focused on one thing: designing, engineering, and building with aluminum. That commitment shapes every trailer we make.

Because we build exclusively with aluminum, our trailers are engineered differently from the ground up. From custom extrusions to premium components, every detail is designed to maximize strength, reduce unnecessary weight, and deliver long-term durability.


The result is a trailer that hauls more, lasts longer, and requires less maintenance over time.

Our frames don't rust. Our decks stand up to the elements. Lightweight construction improves towing and efficiency without sacrificing capability. And our industry-leading warranty reflects the confidence we have in every trailer we build.

Whether you haul for work, weekends, or somewhere in between, Aluma is built to deliver lasting performance for years to come.



866-415-3285
ALUMAKLM.COM



ALUMA

101 EAST SENECA • BANCROFT, IA 50517
HWY 4 S • EMMETSBURG, IA 50536
866-415-3285 • FAX: 515-885-2592



► MODEL SPECS SUBJECT TO CHANGE PLEASE CHECK WITH DEALER FOR LATEST SPECS - AUGUST 2026